



Alto L

The compact alternative - with respect to size, weight and price/performance ratio.

Product description

- The compact alternative - with respect to size, weight and price/performance ratio.
- Very lightweight but extremely stable.
- Rung depth 30 mm.
- Outside width: 350 mm.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping.
- High strength, non-twist rung/stile connections.
- Rungs and stiles made from aluminium extrusions.




Hints and special features

Complies with EN 131 Professional.


Product features

Coating natural	Connection between stiles and rungs/stiles flanged	Load capacity max. 150 kg	Material aluminium	Standards EN 131 professional
Tread depth 30 mm	Type of rungs/treads serrated	Vertical distance between each rung/tread 270 mm	Warranty 10 years	certification-mark-pf TÜV-SÜD

Product variants



SKU 41547	SKU 41548	SKU 41550
Number of rungs 7	Number of rungs 8	Number of rungs 10
Overall length 2.21 m	Overall length 2.49 m	Overall length 3.05 m
Stile depth 58 mm	Stile depth 58 mm	Stile depth 58 mm
Transport dimensions 2.210 mm × 350 mm × 60 mm	Transport dimensions 2.490 mm × 350 mm × 60 mm	Transport dimensions 3.050 mm × 350 mm × 60 mm
Weight 4 kg	Weight 4.4 kg	Weight 6.1 kg
Working height 3.05 m	Working height 3.35 m	Wide crosspiece 0.79 m
		Working height 3.9 m
SKU 41552	SKU 41554	SKU 41556
Number of rungs 12	Number of rungs 14	Number of rungs 16
Overall length 3.61 m	Overall length 4.17 m	Overall length 4.73 m
Stile depth 58 mm	Stile depth 68 mm	Stile depth 68 mm
Transport dimensions	Transport dimensions	Transport dimensions



3.610 mm × 350 mm × 60 mm	4.170 mm × 350 mm × 65 mm	4.730 mm × 350 mm × 70 mm
Weight 7 kg	Weight 8 kg	Weight 9.2 kg
Wide crosspiece 0.79 m	Wide crosspiece 0.79 m	Wide crosspiece 0.89 m
Working height 4.4 m	Working height 4.95 m	Working height 5.5 m
SKU 41558	SKU 41560	SKU 41562
Number of rungs 18	Number of rungs 20	Number of rungs 22
Overall length 5.29 m	Overall length 5.85 m	Overall length 6.41 m
Stile depth 73 mm	Stile depth 73 mm	Stile depth 85 mm
Transport dimensions 5.290 mm × 350 mm × 80 mm	Transport dimensions 5.850 mm × 350 mm × 80 mm	Transport dimensions 6.410 mm × 350 mm × 80 mm
Weight 10.5 kg	Weight 11.5 kg	Weight 13.2 kg
Wide crosspiece 0.89 m	Wide crosspiece 0.99 m	Wide crosspiece 0.99 m
Working height 6.05 m	Working height 6.6 m	Working height 7.15 m
SKU 41564		



Number of rungs

24

Overall length

6.98 m

Stile depth

85 mm

Transport dimensions

6.970 mm × 350 mm × 90 mm

Weight

14.4 kg

Wide crosspiece

1.1 m

Working height

7.7 m