



Megastep S

The strongest of all our ladders: high load capacity and modern design for the most exacting requirements.

Product description

- The strongest of all our ladders: high load capacity and modern design for the most exacting requirements.
- Platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Practical storage tray with plenty of space for tools and small parts.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Black, wear-resistant anodised stiles.
- Platform made from aluminium extrusion (250 x 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Practical aluminium storage tray for small items and tools.
- High-strength Perlon belts prevent splay, on models with 5 rungs or more.
- Replaceable two-component plastic end caps that attach securely to the stile and prevent the ladder from slipping.





Hints and special features

Complies with EN 131 Professional.

Product features

Coating anodised	Connection between stiles and rungs/stiles flanged	Load capacity max. 250 kg	Material aluminium	Platform length 250 mm
Platform width 250 mm	Standards EN 131 professional	Stile depth 73 mm	Stile depth 58 mm	Stile depth steps/back stay 73mm / 58mm
Storage tray aluminium	Tread depth 60 mm	Type of rungs/treads SL Step	Vertical distance between each rung/ tread 265 mm	Warranty 10 years
certification-mark-pf TÜV-SÜD				

Product variants

SKU 41145	SKU 41146	SKU 41147
Base 0,76 m × 0,44 m	Base 0,93 m × 0,47 m	Anti-splay mechanism Belt strap
No. of rungs incl. platform 3	No. of rungs incl. platform 4	Base 1,1 m × 0,5 m
Overall base width 0.44 m	Overall base width 0.47 m	No. of rungs incl. platform 5
Overall length	Overall length	Overall base width



1.59 m	1.87 m	0.5 m
Platform height	Platform height	Overall length
0.8 m	1.06 m	2.15 m
Transport dimensions	Transport dimensions	Platform height
1.595 mm × 445 mm × 150 mm	1.875 mm × 475 mm × 150 mm	1.33 m
Weight	Weight	Transport dimensions
6.2 kg	7.3 kg	2.155 mm × 505 mm × 150 mm
Working height	Working height	Weight
2.8 m	3.1 m	8 kg
		Working height
		3.35 m
SKU	SKU	
41148	41149	
Anti-splay mechanism	Anti-splay mechanism	
Belt strap	Belt strap	
Base	Base	
1,27 m × 0,53 m	1,61 m × 0,59 m	
No. of rungs incl. platform	No. of rungs incl. platform	
6	8	
Overall base width	Overall base width	
0.53 m	0.59 m	
Overall length	Overall length	
2.43 m	2.99 m	
Platform height	Platform height	
1.59 m	2.12 m	



Transport dimensions	Transport dimensions
2.435 mm × 535 mm × 150 mm	2.995 mm × 595 mm × 150 mm
Weight	Weight
8.6 kg	9.6 kg
Working height	Working height
3.6 m	4.15 m