



Megastep S

The strongest of all our ladders: high load capacity and modern design for the most exacting requirements.

Product description

- The strongest of all our ladders: high load capacity and modern design for the most exacting requirements.
- Platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Practical tray with plenty of space for tools and small items.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Black, wear-resistant anodised stiles.
- Large standing platform (250 x 250 mm) made from extruded aluminium sections for safe and comfortable standing even when working for long periods.
- Practical aluminium storage tray for small items and tools.
- High-strength Perlon belts prevent splay, on models with 5 rungs or more.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.



Hints and special features

Complies with EN 131 Professional.

Product features

Coating anodised	Connection Stile-Rung flanged	Load capacity max. 250 kg	Material Aluminium	Pitch rung/tread 265 mm
Platform length 250 mm	Platform width 250 mm	Standards EN 131 professional	Stile depth 73 mm	Stile depth 58 mm



Stile depth steps/back stay 73mm / 58mm	Tray Aluminium	Tread depth 60 mm	Type rung/tread SL Step	Warranty 10 years
---	--------------------------	-----------------------------	-----------------------------------	-----------------------------

Product variants

SKU 41145	SKU 41146	SKU 41147
Base 0,76 m × 0,44 m	Base 0,93 m × 0,47 m	Anti splay Belt strap
No. of rungs incl. platform 3	No. of rungs incl. platform 4	Base 1,1 m × 0,5 m
Overall base width 0.44 m	Overall base width 0.47 m	No. of rungs incl. platform 5
Overall length 1.59 m	Overall length 1.87 m	Overall base width 0.5 m
Platform height 0.8 m	Platform height 1.06 m	Overall length 2.15 m
Transport dimensions 1.595 mm × 445 mm × 150 mm	Transport dimensions 1.875 mm × 475 mm × 150 mm	Platform height 1.33 m
Weight 6.2 kg	Weight 7.3 kg	Transport dimensions 2.155 mm × 505 mm × 150 mm
Working height 2.8 m	Working height 3.1 m	Weight 8 kg
		Working height 3.35 m
SKU	SKU	



41148	41149
Anti splay	Anti splay
Belt strap	Belt strap
Base	Base
1,27 m × 0,53 m	1,61 m × 0,59 m
No. of rungs incl. platform	No. of rungs incl. platform
6	8
Overall base width	Overall base width
0.53 m	0.59 m
Overall length	Overall length
2.43 m	2.99 m
Platform height	Platform height
1.59 m	2.12 m
Transport dimensions	Transport dimensions
2.435 mm × 535 mm × 150 mm	2.995 mm × 595 mm × 150 mm
Weight	Weight
8.6 kg	9.6 kg
Working height	Working height
3.6 m	4.15 m