DATA SHEET

Meistertritt S

Premium model with maximum safety features, an extra-large platform, Saferstep treads, and handrails.















PRODUCT DESCRIPTION

- Premium model with maximum safety features, an extra-large platform, Saferstep treads, and handrails.
- Extra-wide platform with an aluminum checker plate surface for greater freedom of movement on the ladder.
- With two handrails as standard for safe access.
- 80 mm deep treads with ZARGES Safer Step Technology.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- Optimum stability due to the use of two high-strength Perlon belts to prevent splay, from 5 treads.
- Height of the retaining bracket 1,000 mm.
- Robust design: flanged step-rail connection with extruded aluminum profiles.

HINTS AND SPECIAL FEATURES

Mobile version from 5 steps possible.
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
Coating	natural

Property	Value
Connection between stiles and rungs/stiles	flanged
Load capacity	max. 150 kg
Material	aluminium
Platform length	380 mm
Platform width	390 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Storage tray	aluminium
Tread depth	80 mm
Type of rungs/treads	Safer Step
Vertical distance between each rung/tread	265 mm
Warranty	10 years

PRODUCT VARIANTS

	41632	41633	41634	40477	40478	40479
Anti-splay mechanism	–	–	Belt strap	Belt strap	Belt strap	Belt strap
Base	0,91 m × 0,59 m	1,08 m × 0,62 m	1,26 m × 0,65 m	1,43 m × 0,68 m	1,76 m × 0,74 m	2,11 m × 0,8 m
Number of rungs, incl. platform	3	4	5	6	8	10

	41632	41633	41634	40477	40478	40479
Overall base width	0.59 m	0.62 m	0.65 m	0.68 m	0.74 m	0.8 m
Overall length	1.92 m	2.2 m	2.48 m	2.75 m	3.32 m	3.88 m
Platform height	0.77 m	1.03 m	1.29 m	1.55 m	2.07 m	2.59 m
Transport dimensions	1.920 mm × 590 mm × 155 mm	2.200 mm × 620 mm × 155 mm	2.480 mm × 650 mm × 155 mm	2.750 mm × 680 mm × 155 mm	3.320 mm × 740 mm × 155 mm	approx. 3.880 mm × 800 mm × 155 mm
Vertical ladder height	1.77 m	2.03 m	2.29 m	2.55 m	3.07 m	3.59 m
Weight	9.5 kg	10.7 kg	12.1 kg	13.8 kg	16.7 kg	20.3 kg
Working height	2.8 m	3 m	3.3 m	3.55 m	4.1 m	4.6 m

	41635
Anti-splay mechanism	Belt strap
Base	2,46 m × 0,86 m
Number of rungs, incl. platform	12
Overall base width	0.86 m
Overall length	4.44 m
Platform height	3.11 m
Transport dimensions	4.440 mm × 860 mm × 155 mm
Vertical ladder height	4.11 m
Weight	23.3 kg
Working height	5.1 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 10



Fastening chain
SKU 40252



Ground spikes
SKU 40939




Handrail
SKU 41960



Handrail, foldable
SKU 41999 · 41998



Horizontal stabiliser bar for retrofitting
SKU 41349 · 41401



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Pivot foot with rubber tread 125 x 50 mm
SKU 40226



Stile extension
SKU 40922



Tension strap
SKU 40960



Theft protection
SKU 8210

SPARE PARTS 9



Bracing
SKU 820816



Plug-in end cap
SKU 824350 · 824352



Push-on end cap
SKU 824424 · 824439 · 824438



Push-on end cap, antistatic
SKU 824475 · 824476



Push-on end cap, antistatic
SKU 824473 · 824474



Safer Step tread inset
SKU 800530



Splay prevention (belt strap)
SKU 827613 · 827675 · 827676 · +1



Storage tray
SKU 829820



User instructions label
SKU 800608

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 14/11/2026
Subject to change or error.