



Meistertritt S

Safe standing on very large platform, non-slip ascent and descent thanks to Safer Step Technology. So-called "lightweight platform ladder".

Product description

- Safe standing on very large platform, non-slip ascent and descent thanks to Safer Step Technology. So-called "lightweight platform ladder".
- Particularly large work platform with ribbed aluminium sheet covering.
- With two handrails as standard for safe access.
- 80 mm deep steps with ZARGES Safer Step Technology for fatigue-free standing.
- Particularly large-surface work platform with ribbed aluminium sheet lining (approx. 380 x 390 mm).
- Practical aluminium storage tray for small items and tools.
- Optimum stability thanks to two high-strength Perlon belts for preventing splay.
- Height of the retaining bracket 1,000 mm.
- Treads and stiles made from extruded aluminium sections.



Hints and special features

Mobile version from 5 steps possible.
 Complies with EN 131 Professional.

Product features

Coating natural	Connection Stile-Rung flanged	Load capacity max. 150 kg	Material Aluminium	Pitch rung/tread 265 mm
Platform length 380 mm	Platform width 390 mm	Standards EN 131 professional	Stile depth 73 mm	Stile depth 58 mm
Stile depth steps/back	Tray	Tread depth	Type rung/tread	Warranty



stay 73mm / 58mm	Aluminium	80 mm	Safer Step	10 years
----------------------------	------------------	--------------	-------------------	-----------------

Product variants

SKU 41632	SKU 41633	SKU 41634
Base 0,91 m × 0,59 m	Base 1,08 m × 0,62 m	Anti splay Belt strap
Number of rungs, incl. platform 3	Number of rungs, incl. platform 4	Base 1,26 m × 0,65 m
Overall base width 0.59 m	Overall base width 0.62 m	Number of rungs, incl. platform 5
Overall length 1.92 m	Overall length 2.2 m	Overall base width 0.65 m
Platform height 0.77 m	Platform height 1.03 m	Overall length 2.48 m
Transport dimensions 1.920 mm × 590 mm × 155 mm	Transport dimensions 2.200 mm × 620 mm × 155 mm	Platform height 1.29 m
Vertical ladder height 1.77 m	Vertical ladder height 2.03 m	Transport dimensions 2.480 mm × 650 mm × 155 mm
Weight 9.5 kg	Weight 10.7 kg	Vertical ladder height 2.29 m
Working height 2.8 m	Working height 3 m	Weight 12.1 kg
		Working height 3.3 m



SKU 40477	SKU 40478	SKU 40479
Anti splay Belt strap	Anti splay Belt strap	Anti splay Belt strap
Base 1,43 m × 0,68 m	Base 1,76 m × 0,74 m	Base 2,11 m × 0,8 m
Number of rungs, incl. platform 6	Number of rungs, incl. platform 8	Number of rungs, incl. platform 10
Overall base width 0.68 m	Overall base width 0.74 m	Overall base width 0.8 m
Overall length 2.75 m	Overall length 3.32 m	Overall length 3.88 m
Platform height 1.55 m	Platform height 2.07 m	Platform height 2.59 m
Transport dimensions 2.750 mm × 680 mm × 155 mm	Transport dimensions 3.320 mm × 740 mm × 155 mm	Transport dimensions approx. 3.880 mm × 800 mm × 155 mm
Vertical ladder height 2.55 m	Vertical ladder height 3.07 m	Vertical ladder height 3.59 m
Weight 13.8 kg	Weight 16.7 kg	Weight 20.3 kg
Working height 3.55 m	Working height 4.1 m	Working height 4.6 m
SKU 41635		
Anti splay Belt strap		
Base		



2,46 m × 0,86 m

Number of rungs, incl. platform

12

Overall base width

0.86 m

Overall length

4.44 m

Platform height

3.11 m

Transport dimensions

4.440 mm × 860 mm × 155 mm

Vertical ladder height

4.11 m

Weight

23.3 kg

Working height

5.1 m