



Meistertritt S

The Rolls Royce of stepladders - the ultimate in comfort and safety.

Product description

- The Rolls Royce of stepladders - the ultimate in comfort and safety.
- Particularly large work platform with ribbed aluminium sheet covering.
- With two handrails as standard for safe access.
- 80 mm deep treads with ZARGES Safer Step Technology for fatigue-free standing.
- Particularly large work platform with ribbed aluminium sheet lining (approx. 380 x 390 mm).
- Practical aluminium storage tray for small items and tools.
- Optimum stability due to the use of two high-strength Perlon belts to prevent splay, from 5 treads.
- Height of the retaining bracket 1,000 mm.
- Treads and stiles made from extruded aluminium sections.



Hints and special features

Mobile version from 5 steps possible.

Complies with EN 131 Professional.

Product features



Coating natural	Connection between stiles and rungs/stiles flanged	Load capacity max. 150 kg	Material aluminium	Platform length 380 mm
Platform width 390 mm	Standards EN 131 professional	Stile depth 73 mm	Stile depth 58 mm	Stile depth steps/back stay 73mm / 58mm
Storage tray aluminium	Tread depth 80 mm	Type of rungs/treads Safer Step	Vertical distance between each rung/ tread 265 mm	Warranty 10 years
certification-mark-pf TÜV-SÜD				

Product variants

SKU 41632	SKU 41633	SKU 41634
Base 0,91 m × 0,59 m	Base 1,08 m × 0,62 m	Anti-splay mechanism Belt strap
Number of rungs, incl. platform 3	Number of rungs, incl. platform 4	Base 1,26 m × 0,65 m
Overall base width 0.59 m	Overall base width 0.62 m	Number of rungs, incl. platform 5
Overall length 1.92 m	Overall length 2.2 m	Overall base width 0.65 m
Platform height 0.77 m	Platform height 1.03 m	Overall length 2.48 m



Transport dimensions 1.920 mm × 590 mm × 155 mm	Transport dimensions 2.200 mm × 620 mm × 155 mm	Platform height 1.29 m
Vertical ladder height 1.77 m	Vertical ladder height 2.03 m	Transport dimensions 2.480 mm × 650 mm × 155 mm
Weight 9.5 kg	Weight 10.7 kg	Vertical ladder height 2.29 m
Working height 2.8 m	Working height 3 m	Weight 12.1 kg
		Working height 3.3 m
SKU 40477	SKU 40478	SKU 40479
Anti-splay mechanism Belt strap	Anti-splay mechanism Belt strap	Anti-splay mechanism Belt strap
Base 1,43 m × 0,68 m	Base 1,76 m × 0,74 m	Base 2,11 m × 0,8 m
Number of rungs, incl. platform 6	Number of rungs, incl. platform 8	Number of rungs, incl. platform 10
Overall base width 0.68 m	Overall base width 0.74 m	Overall base width 0.8 m
Overall length 2.75 m	Overall length 3.32 m	Overall length 3.88 m
Platform height 1.55 m	Platform height 2.07 m	Platform height 2.59 m
Transport dimensions	Transport dimensions	Transport dimensions



2.750 mm × 680 mm × 155 mm	3.320 mm × 740 mm × 155 mm	approx. 3.880 mm × 800 mm × 155 mm
Vertical ladder height	Vertical ladder height	Vertical ladder height
2.55 m	3.07 m	3.59 m
Weight	Weight	Weight
13.8 kg	16.7 kg	20.3 kg
Working height	Working height	Working height
3.55 m	4.1 m	4.6 m
SKU		
41635		
Anti-splay mechanism		
Belt strap		
Base		
2,46 m × 0,86 m		
Number of rungs, incl. platform		
12		
Overall base width		
0.86 m		
Overall length		
4.44 m		
Platform height		
3.11 m		
Transport dimensions		
4.440 mm × 860 mm × 155 mm		
Vertical ladder height		



4.11 m

Weight

23.3 kg

Working height

5.1 m