



EFAmix S

The solution for work in an electrical environment.

Product description

- The solution for work in an electrical environment.
- Suitable for working on electrical installations thanks to insulated stiles made from glass-fibre-reinforced plastic.
- Meets the requirements of the high-voltage test for ladders made of insulting material in accordance with DIN EN 61 478.
- Aluminium treads, 80 mm deep, with non-slip ribbing.
- Safety platform (250 x 250 mm).
- Safe storage of accessories and tools in plastic storage tray.
- Only 88 mm wide when folded.
- Treads made of aluminium extrusion.



Hints and special features

Complies with EN 131 Professional.

Product features

Connection between stiles and rungs/stiles flanged	Load capacity max. 150 kg	Material Aluminium / plastic	Platform length 250 mm	Platform width 250 mm
Standards EN 131 professional	Stile depth 50 mm	Stile depth 50 mm	Stile depth steps/back stay 50mm / 50mm	Storage tray Plastic



Tread depth	Type of rungs/treads	Vertical distance between each rung/tread	Warranty
80 mm	serrated	230 mm	10 years

Product variants

SKU	SKU	SKU
40431	40432	40433
Base	Base	Base
0,75 m × 0,52 m	0,91 m × 0,55 m	1,07 m × 0,57 m
Number of rungs, incl. platform	Number of rungs, incl. platform	Number of rungs, incl. platform
3	4	5
Overall base width	Overall base width	Overall base width
0,52 m	0,55 m	0,57 m
Overall length	Overall length	Overall length
1,4 m	1,65 m	1,9 m
Platform height	Platform height	Platform height
0,68 m	0,91 m	1,14 m
Transport dimensions	Transport dimensions	Transport dimensions
1.390 mm × approx. 520 mm × 100 mm	1.640 mm × approx. 550 mm × 100 mm	1.890 mm × approx. 570 mm × 100 mm
Weight	Weight	Weight
6 kg	7 kg	8 kg
Working height	Working height	Working height
2,7 m	2,9 m	3,15 m



ZARGES

More information about the product, accessories and spare parts:

<https://www.zarges.com/uk/products/efamix-s>



SKU	SKU
40434	40435
Base	Base
1,24 m × 0,6 m	1,4 m × 0,62 m
Number of rungs, incl. platform	Number of rungs, incl. platform
6	7
Overall base width	Overall base width
0.6 m	0.62 m
Overall length	Overall length
2.15 m	2.4 m
Platform height	Platform height
1.37 m	1.6 m
Transport dimensions	Transport dimensions
2.140 mm × approx. 600 mm × 100 mm	2.390 mm × approx. 620 mm × 100 mm
Weight	Weight
9 kg	10 kg
Working height	Working height
3.35 m	3.6 m