



Nova S

The sturdy classic among single-sided stepladders—ideal for a wide range of DIY projects.

Product description

- The sturdy classic among single-sided stepladders—ideal for a wide range of DIY projects.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Easy access up and down via sturdy 80-mm-deep treads.
- 7 treads and up: High-strength polyester webbing with sewn-in attachment tabs – durable and low-wear.
- Robust design: flanged step-stile connection with a platform and extruded aluminum profiles.
- Stability through slip-resistant plastic end caps.
- Enclosed rung profile and integrated guide tube.



Hints and special features

Complies with EN 131 Professional.

Product features

Certification	TÜV-SÜD
Coating	natural
Connection between stiles and rungs/stiles	flanged
Load capacity	max. 150 kg



Material	aluminium
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	48 mm
Stile depth	48 mm
Stile depth steps/back stay	48mm / 48mm
Storage tray	Plastic
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Warranty	10 years

Product variants

	42453	42454	42455	42456	42457	42458
Anti-splay mechanism	-	-	-	-	Belt strap	Belt strap
Base	0,69 m × 0,42 m	0,84 m × 0,44 m	0,99 m × 0,46 m	1,14 m × 0,49 m	1,28 m × 0,51 m	1,44 m × 0,54 m
Number of rungs, incl. platform	3	4	5	6	7	8
Overall base width	0.42 m	0.44 m	0.46 m	0.49 m	0.51 m	0.54 m
Overall length	1.34 m	1.57 m	1.8 m	2.03 m	2.26 m	2.49 m
Platform height	0.61 m	0.83 m	1.05 m	1.26 m	1.48 m	1.7 m
Transport dimensions	1.350 mm × 420 mm × 120 mm	1.580 mm × 440 mm × 120 mm	1.810 mm × 470 mm × 120 mm	2.060 mm × 490 mm × 120 mm	2.270 mm × 520 mm × 120 mm	2.500 mm × 540 mm × 120 mm
Vertical ladder height	1.22 m	1.43 m	1.65 m	1.86 m	2.08 m	2.29 m



	42453	42454	42455	42456	42457	42458
Weight	4.8 kg	5.8 kg	6.9 kg	8 kg	9.1 kg	10.2 kg
Working height	2.6 m	2.85 m	3.05 m	3.25 m	3.5 m	3.7 m

	42460
Anti-splay mechanism	Belt strap
Base	1,76 m × 0,58 m
Number of rungs, incl. platform	10
Overall base width	0.58 m
Overall length	2.95 m
Platform height	2.13 m
Transport dimensions	2.960 mm × 590 mm × 120 mm
Vertical ladder height	2.73 m
Weight	12.4 kg
Working height	4.15 m

ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway
 CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 7/6/2026
 Subject to change or error.