



Nova S

The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.

Product description

- The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.
- Large standing platform with anti-slip serrated surface.
- Practical storage tray with plenty of space for tools and small parts.
- 80 mm deep surfaces to stand on.
- High-strength Perlon belts with sewn-in fixing straps prevent splay, from 7 rungs.
- Stability through slip-resistant plastic end caps.
- Enclosed rung profile and integrated guide tube.



Hints and special features

Complies with EN 131 Professional.

Product features

Certification	TÜV-SÜD
Coating	natural
Connection between stiles and rungs/stiles	flanged
Load capacity	max. 150 kg
Material	aluminium



Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	48 mm
Stile depth	48 mm
Stile depth steps/back stay	48mm / 48mm
Storage tray	Plastic
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	216 mm
Warranty	10 years

Product variants

	42453	42454	42455	42456	42457	42458
Anti-splay mechanism	-	-	-	-	Belt strap	Belt strap
Base	0,69 m × 0,42 m	0,84 m × 0,44 m	0,99 m × 0,46 m	1,14 m × 0,49 m	1,28 m × 0,51 m	1,44 m × 0,54 m
Number of rungs, incl. platform	3	4	5	6	7	8
Overall base width	0.42 m	0.44 m	0.46 m	0.49 m	0.51 m	0.54 m
Overall length	1.34 m	1.57 m	1.8 m	2.03 m	2.26 m	2.49 m
Platform height	0.61 m	0.83 m	1.05 m	1.26 m	1.48 m	1.7 m
Transport dimensions	1.350 mm × 420 mm × 120 mm	1.580 mm × 440 mm × 120 mm	1.810 mm × 470 mm × 120 mm	2.060 mm × 490 mm × 120 mm	2.270 mm × 520 mm × 120 mm	2.500 mm × 540 mm × 120 mm
Vertical ladder height	1.22 m	1.43 m	1.65 m	1.86 m	2.08 m	2.29 m
Weight	4.8 kg	5.8 kg	6.9 kg	8 kg	9.1 kg	10.2 kg



	42453	42454	42455	42456	42457	42458
Working height	2.6 m	2.85 m	3.05 m	3.25 m	3.5 m	3.7 m

	42460
Anti-splay mechanism	Belt strap
Base	1,76 m × 0,58 m
Number of rungs, incl. platform	10
Overall base width	0.58 m
Overall length	2.95 m
Platform height	2.13 m
Transport dimensions	2.960 mm × 590 mm × 120 mm
Vertical ladder height	2.73 m
Weight	12.4 kg
Working height	4.15 m

ZARGES (U.K.) Ltd.

8 Holdom Avenue. Saxon Park Ind. Est.
 Bletchley MK1 1QU

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 22/4/2026
 Subject to change or error.