



Scana S

High degree of comfort while working due to abrasion-resistant, anodised stiles and large storage tray.

Product description

- High degree of comfort while working due to abrasion-resistant, anodised stiles and large storage tray.
- Large platform with anti-slip ribbing.
- Tread depth 80 mm.
- Abrasion-resistant, anodised stiles.
- Practical tray with plenty of space for tools and small items.
- High-strength Perlon belts prevent splay from 6 rungs.
- The extruded aluminium sections give the platform optimum stability.
- Two extruded section bridge raisers.



Hints and special features

Complies with EN 131 Professional.

Product features

Coating anodised	Connection Stile-Rung riveted	Load capacity max. 150 kg	Material Aluminium	Pitch rung/tread 216 mm
Platform length 250 mm	Platform width 250 mm	Standards EN 131 professional	Stile depth 40 mm	Stile depth 40 mm
Stile depth steps/back stay 40mm / 40mm	Tray Plastic	Tread depth 80 mm	Type rung/tread serrated	Warranty 10 years

Product variants



SKU 44153	SKU 44154	SKU 44155
Base 0,67 m × 0,41 m	Base 0,82 m × 0,43 m	Base 0,96 m × 0,46 m
Number of rungs, incl. platform 3	Number of rungs, incl. platform 4	Number of rungs, incl. platform 5
Overall base width 0.41 m	Overall base width 0.43 m	Overall base width 0.46 m
Overall length 1.36 m	Overall length 1.59 m	Overall length 1.82 m
Platform height 0.59 m	Platform height 0.81 m	Platform height 1.03 m
Transport dimensions 1.370 mm × 410 mm × 110 mm	Transport dimensions 1.600 mm × 440 mm × 110 mm	Transport dimensions 1.830 mm × 460 mm × 110 mm
Vertical ladder height 1.2 m	Vertical ladder height 1.42 m	Vertical ladder height 1.64 m
Weight 3.7 kg	Weight 4.4 kg	Weight 5.1 kg
Working height 2.6 m	Working height 2.8 m	Working height 3 m
SKU 44156	SKU 44157	SKU 44158
Anti splay Belt strap	Anti splay Belt strap	Anti splay Belt strap
Base 1,1 m × 0,48 m	Base 1,25 m × 0,51 m	Base 1,7 m × 0,53 m
Number of rungs, incl. platform 6	Number of rungs, incl. platform 7	Number of rungs, incl. platform 8



Overall base width 0.48 m	Overall base width 0.51 m	Overall base width 0.53 m
Overall length 2.05 m	Overall length 2.29 m	Overall length 2.52 m
Platform height 1.24 m	Platform height 1.47 m	Platform height 1.7 m
Transport dimensions 2.060 mm × 490 mm × 110 mm	Transport dimensions 2.290 mm × 510 mm × 110 mm	Transport dimensions 2.520 mm × 530 mm × 110 mm
Vertical ladder height 1.85 m	Vertical ladder height 2.08 m	Vertical ladder height 2.31 m
Weight 5.9 kg	Weight 6.6 kg	Weight 8 kg
Working height 3.25 m	Working height 3.5 m	Working height 3.7 m