

More information about the product, accessories and spare parts: https://www.zarges.com/uk/products/variomax-v



Variomax V

Multifunctional, extendible ladder suitable for use on stairs, with compact transport dimensions and in sturdy, durable design.

Product description

- Multifunctional, extendible ladder suitable for use on stairs, with compact transport dimensions and in sturdy, durable design.
- Single ladder, stepladder and staircase stepladder in one.
- Easy-to-use, automatically engaging aluminium safety hinge.
- Safe height adjustment thanks to four pull handles of diecast aluminium.
- Fitted with fold-out stabilisers to allow the product to be used as a single ladder in compliance EN131-1 (except for the 4x3 model).
- The stabilisers can be folded in to save space during transport or when the product is used as a stepladder.
- Rung by rung working height adjustment in all versions.
- Quickly and easily converts from one mode to another.
- High strength, non-twist rung/stile connections.

Product features

ZARGES (U.K.) Ltd. 8 Holdom Avenue. Saxon Park Ind. Est. Bletchley MK1 1QU Tel: 01908 641118 Fax: false www.zarges.com/uk sales@zarges.co.uk

Effective 29/4/2025 1/3

Subject to change or error.



More information about the product, accessories and spare parts: https://www.zarges.com/uk/products/variomax-v



Connection Stile-Rung	Dimensions, folded	Load capacity	Material
flanged	Missing translation	max. 150 kg	Aluminium
Standards	Tread depth	Type rung/tread	Warranty
EN 131-4	30 mm	serrated	10 years
	flanged Standards	flanged Missing translation Standards Tread depth	flanged Missing translation max. 150 kg Standards Tread depth Type rung/tread

Product variants

SKU	SKU	SKU
41934	41383	41384
Length as lean-to ladder	Length as lean-to ladder	Length as lean-to ladder
2.97 m	4.2 m	5.3 m
Length as trestle	Length as trestle	Length as trestle
1.45 m	2 m	2.54 m
Number of rungs	Number of rungs	Number of rungs
4 × 3	4 × 4	4 × 5
Transport dimensions	Transport dimensions	Transport dimensions
970 mm × 500 mm × 210 mm	1.310 mm × approx. 640 mm × 210 mm	1.580 mm × approx. 710 mm × 210 mm
Weight 9 kg	Weight	Weight
-	15 kg	18 kg
Working height as lean-to ladder 3.85 m	Working height as lean-to ladder	Working height as lean-to ladder
	5 m	6.05 m
Working height as stepladder 2.75 m	Working height as stepladder	Working height as stepladder
	3.35 m	3.85 m
SKU		

ZARGES (U.K.) Ltd. 8 Holdom Avenue. Saxon Park Ind. Est. Bletchley MK1 1QU Tel: 01908 641118 Fax: false www.zarges.com/uk sales@zarges.co.uk

Effective 29/4/2025 2/3

Subject to change or error.





41385

Length as lean-to ladder

6.4 m

Length as trestle

3.1 m

Number of rungs

4 × 6

Transport dimensions

1.860 mm × approx. 780 mm × 210 mm

Weight

22 kg

Working height as lean-to ladder

7.1 m

Working height as stepladder

4.4 m

ZARGES (U.K.) Ltd. 8 Holdom Avenue. Saxon Park Ind. Est. Bletchley MK1 1QU Tel: 01908 641118 Fax: false www.zarges.com/uk sales@zarges.co.uk

Effective 29/4/2025 3/3

Subject to change or error.