



Variotec V

Multifunctional, extendible ladder suitable for use on stairs, with compact transport dimensions and in sturdy, durable design.

Product description

- Multifunctional, extendible ladder suitable for use on stairs, with compact transport dimensions and in sturdy, durable design.
- The ladder can be adjusted to the desired working height in increments of 280 mm.
- Folds down to a space-saving compact size for transport.
- Functional robust steel hinges, bolted and easy to replace.
- Fitted with fold-out stabilisers to allow the product to be used as a single ladder in compliance with EN131-1.
- The stabilisers can be folded in to save space during transport or when the product is used as a stepladder.
- Stiles made from extruded aluminium sections for maximum stability.
- High strength, non-twist rung/stile connections.



Hints and special features

Ideal for use on steps/stairs as a result of rung-by-rung height adjustment on both sides.

Product features



| | | | | |
|-----------------------------------------|-------------------------------------------------------------------|--------------------------------------------------|-----------------------------------------|------------------------------|
| Coating natural | Connection between stiles and rungs/stiles flanged | Dimensions, folded Missing translation | Load capacity max. 150 kg | Material aluminium |
| Standards EN 131-4 | Stile depth 60 mm | Stile depth 70 mm | Stile depth 60mm / 70mm | Tread depth 30 mm |
| Type of rungs/treads serrated | Vertical distance between each rung/ tread 265 mm | Warranty 10 years | certification-mark-pf TÜV-SÜD | |

Product variants

| | | |
|-------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------|
| SKU 42437 | SKU 42438 | SKU 42439 |
| Length as lean-to ladder 4.17 m | Length as lean-to ladder 5.29 m | Length as lean-to ladder 6.4 m |
| Length as trestle 2.2 m | Length as trestle 2.7 m | Length as trestle 3.09 m |
| Number of rungs 4 × 4 | Number of rungs 4 × 5 | Number of rungs 4 × 6 |
| Transport dimensions 1.310 mm × approx. 640 mm × 200 mm | Transport dimensions 1.580 mm × approx. 710 mm × 200 mm | Transport dimensions 1.860 mm × approx. 780 mm × 210 mm |
| Weight 15 kg | Weight 18 kg | Weight 22 kg |
| Working height as lean-to ladder 4.95 m | Working height as lean-to ladder 6.05 m | Working height as lean-to ladder 7.1 m |
| Working height as stepladder | Working height as stepladder | Working height as stepladder |



3.4 m

3.9 m

4.4 m