




Roof ladders

Safe access to various roof pitches via high-stability stationary ladder with rungs arranged eccentrically.

Product description

- Safe access to various roof pitches via high-stability stationary ladder with rungs arranged eccentrically.
- Safe, square rungs with 2 differently inclined tread surfaces.
- Robust stile sections ensure 80 mm safety clearance between the rungs and the roof surface.
- Problem-free coordination of the ladder to the relevant roof length.
- Off-centre rung arrangement.
- Maximum loading capacity 150 kg.
- Outside width: 340 mm.
- High strength, non-twist rung/stile connections.
- Rungs made from extruded aluminium sections for maximum safety.



Hints and special features

Connecting straps are included with every roof ladder as standard.

Product features

| | | | | |
|---|-------------------------------|-------------------------------------|------------------------------|-----------------------------------|
| Connection Stile-Rung flanged | Ladder width 340 mm | Load capacity max. 150 kg | Material Aluminium | Pitch rung/tread 280 mm |
| Stile depth 110 mm | Tread depth 30 mm | Type rung/tread serrated | Warranty 10 years | |

Product variants

| | | |
|---------------------|---------------------|---------------------|
| SKU 40395 | SKU 40396 | SKU 41237 |
|---------------------|---------------------|---------------------|



| | | |
|---|---|---|
| Coating natural | Coating natural | Coating natural |
| Colour Natural aluminium | Colour Natural aluminium | Colour Natural aluminium |
| Number of rungs 7 | Number of rungs 10 | Number of rungs 15 |
| Overall length 2 m | Overall length 2.8 m | Overall length 4.2 m |
| Transport dimensions 2.000 mm x 340 mm x 110 mm | Transport dimensions 2.800 mm x 340 mm x 110 mm | Transport dimensions 4.200 mm x 340 mm x 110 mm |
| Weight 3.2 kg | Weight 4.8 kg | Weight 6.8 kg |
| SKU 40397 | SKU 40398 | SKU 40399 |
| Coating powder-coated | Coating powder-coated | Coating powder-coated |
| Colour Copper-brown | Colour Copper-brown | Colour Copper-brown |
| Number of rungs 7 | Number of rungs 10 | Number of rungs 15 |
| Overall length 2 m | Overall length 2.8 m | Overall length 4.2 m |
| Transport dimensions 2.000 mm x 340 mm x 110 mm | Transport dimensions 2.800 mm x 340 mm x 110 mm | Transport dimensions 4.200 mm x 340 mm x 110 mm |
| Weight 3.2 kg | Weight 4.8 kg | Weight 6.8 kg |
| SKU | SKU | SKU |



| | | |
|---|---|---|
| 41391 | 41393 | 41235 |
| Coating powder-coated | Coating powder-coated | Coating powder-coated |
| Colour Brick-red | Colour Brick-red | Colour Brick-red |
| Number of rungs 7 | Number of rungs 10 | Number of rungs 15 |
| Overall length 2 m | Overall length 2.8 m | Overall length 4.2 m |
| Transport dimensions 2.000 mm x 340 mm x 110 mm | Transport dimensions 2.800 mm x 340 mm x 110 mm | Transport dimensions 4.200 mm x 340 mm x 110 mm |
| Weight 3.2 kg | Weight 4.8 kg | Weight 6.8 kg |
| SKU 41392 | SKU 41394 | SKU 41236 |
| Coating powder-coated | Coating powder-coated | Coating powder-coated |
| Colour brown | Colour brown | Colour brown |
| Number of rungs 7 | Number of rungs 10 | Number of rungs 15 |
| Overall length 2 m | Overall length 2.8 m | Overall length 4.2 m |
| Transport dimensions 2.000 mm x 340 mm x 110 mm | Transport dimensions 2.800 mm x 340 mm x 110 mm | Transport dimensions 4.200 mm x 340 mm x 110 mm |
| Weight 3.2 kg | Weight 4.8 kg | Weight 6.8 kg |



| | | |
|---|---|---|
| SKU 41395 | SKU 41396 | SKU 41397 |
| Coating powder-coated | Coating powder-coated | Coating powder-coated |
| Colour Anthracite grey | Colour Anthracite grey | Colour Anthracite grey |
| Number of rungs 7 | Number of rungs 10 | Number of rungs 15 |
| Overall length 2 m | Overall length 2.8 m | Overall length 4.2 m |
| Transport dimensions 2.000 mm x 340 mm x 110 mm | Transport dimensions 2.800 mm x 340 mm x 110 mm | Transport dimensions 4.200 mm x 340 mm x 110 mm |
| Weight 3.2 kg | Weight 4.8 kg | Weight 6.8 kg |