



# Roof safety hooks to DIN EN 517

## Product description

- At least two roof safety hooks are needed in staggered arrangement to ensure secure fastening. For ladders up to 4.20 m in length, two load-bearing roof safety hooks are needed.
- For each additional ladder section of 2.00 / 2.80 m in length, one extra hook is required; for a length of 4.20 m, two extra hooks will be needed.



## Hints and special features

Supporting safety roof hooks must be fitted centrally on the rafters. Smallest rafter circumference: 60 x 80 mm.

## Product features

Warranty

**Missing translation**

## Product variants

SKU <b>40969</b>	SKU <b>40490</b>	SKU <b>40970</b>
Colour <b>Steel, galvanised</b>	Colour <b>Copper-brown</b>	Colour <b>Brick-red</b>
Material <b>Steel, galvanised</b>	Material <b>Powder-coated steel</b>	Material <b>Powder-coated steel</b>
Transport dimensions <b>450 mm x 210 mm x 30 mm</b>	Transport dimensions <b>430 mm x 200 mm x 30 mm</b>	Transport dimensions <b>450 mm x 210 mm x 30 mm</b>
Version	Version	Version



for pantiles and double depression interlocking ti	for pantiles and double depression interlocking ti	for pantiles and double depression interlocking ti
Weight <b>1.2 kg</b>	Weight <b>1.1 kg</b>	Weight <b>1.2 kg</b>
SKU <b>40967</b>	SKU <b>41399</b>	SKU <b>41386</b>
Colour <b>brown</b>	Colour <b>Anthracite grey</b>	Colour <b>Steel, galvanised</b>
Material <b>Powder-coated steel</b>	Material <b>Powder-coated steel</b>	Material <b>Steel, galvanised</b>
Transport dimensions <b>450 mm x 210 mm x 30 mm</b>	Transport dimensions <b>450 mm x 200 mm x 30 mm</b>	Transport dimensions <b>430 mm x 190 mm x 30 mm</b>
Version <b>for pantiles and double depression interlocking ti</b>	Version <b>for pantiles and double depression interlocking ti</b>	Version <b>for plain tiles</b>
Weight <b>1.2 kg</b>	Weight <b>1.2 kg</b>	Weight <b>1 kg</b>
SKU <b>40492</b>	SKU <b>41387</b>	SKU <b>41388</b>
Colour <b>Copper-brown</b>	Colour <b>Brick-red</b>	Colour <b>brown</b>
Material <b>Powder-coated steel</b>	Material <b>Powder-coated steel</b>	Material <b>Powder-coated steel</b>
Transport dimensions <b>430 mm x 200 mm x 30 mm</b>	Transport dimensions <b>420 mm x 200 mm x 30 mm</b>	Transport dimensions <b>430 mm x 190 mm x 30 mm</b>
Version <b>for plain tiles</b>	Version <b>for plain tiles</b>	Version <b>for plain tiles</b>
Weight	Weight	Weight



1.2 kg	1 kg	1 kg
SKU		
<b>41389</b>		
Colour		
<b>Anthracite grey</b>		
Material		
<b>Powder-coated steel</b>		
Transport dimensions		
<b>430 mm x 190 mm x 30 mm</b>		
Version		
<b>for plain tiles</b>		
Weight		
<b>1 kg</b>		