



## AMA P

The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.

### Product description

- The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.
- Modular design for changing or expanding configurations at any time – as mobile or stationary walkways.
- Lightweight for quick and easy handling.
- Extremely robust, torsion-resistant, corrosion-proof aluminium alloy structure.
- Two-step basic module with up to three add-on steps, suitable for mobile applications.
- Wide range of accessories for stationary or mobile applications.
- Add-on modules in four different heights.
- Comfortable, safe steps (555 x 250 mm) made from serrated aluminium sheet.



### Hints and special features

Complies with EN 14 183

### Product features

Coating	Connection Stile-Rung	Load capacity	Material	Overall platform depth
---------	-----------------------	---------------	----------	------------------------



natural	welded	max. 150 kg	Aluminium	0.3 m
Pitch rung/tread <b>200 mm</b>	Platform height <b>0.2 m</b>	Platform length <b>250 mm</b>	Platform width <b>555 mm</b>	Standards <b>EN 14183</b>
Total max. weight <b>2.9 kg</b>	Tread depth <b>250 mm</b>	Type rung/tread <b>serrated</b>	Warranty <b>10 years</b>	Weight <b>2.9 kg</b>
Working height <b>2.2 m</b>				

## Product variants

SKU <b>40261</b>	SKU <b>40260</b>	SKU <b>40262</b>
Module combination <b>A</b>	Module combination <b>B</b>	Module combination <b>B + C</b>
Module, individual <b>Module A</b>	Module, individual <b>Module B</b>	Module, individual <b>Module C</b>
Transport dimensions <b>580 mm × 290 mm × 200 mm</b>	Transport dimensions <b>620 mm × 550 mm × 400 mm</b>	Transport dimensions <b>610 mm × 280 mm × 380 mm</b>
SKU <b>40263</b>	SKU <b>40264</b>	SKU <b>40265</b>
Module combination <b>B + D</b>	Module combination <b>B + D + E</b>	Module combination <b>B + D + E + F</b>
Module, individual <b>Module D</b>	Module, individual <b>Module E</b>	Module, individual <b>Module F</b>
Transport dimensions	Transport dimensions	Transport dimensions



630 mm × 290 mm × 590 mm

660 mm × 290 mm × 790 mm

690 mm × 290 mm × 980 mm