




# Mobile access steps with platform, single-sided access, with aluminium treads and platform

Can be released safely and quickly for flexibility while working: comfortable ascent, four sprung castors for stability and easy handling.



## Product description

- Can be released safely and quickly for flexibility while working: comfortable ascent, four sprung castors for stability and easy handling.
- Quick and easy assembly thanks to the new connecting elements.
- Mobile and quick to set up with four sprung swivel castors (two of which have brakes).
- Maximum safety through platform guardrail at a height of 1.00 m on three sides.
- Comfortable ascent thanks to 200 mm deep treads.
- Large platform, 600 x 800 mm.
- Maximum load 150 kg.



## Hints and special features

Optional double-sided handrail in compliance with DIN EN 131-7 on the steps.

Complies with EN 131-7

## Product features



Coating <b>natural</b>	Connection between stiles and rungs/stiles <b>welded</b>	Guardrail height <b>1000 mm</b>	Load capacity <b>max. 150 kg</b>	Material <b>aluminium</b>
Platform length <b>800 mm</b>	Platform width <b>600 mm</b>	Standards <b>EN 131-7</b>	Tread depth <b>200 mm</b>	Type of rungs/treads <b>serrated</b>
Vertical distance between each rung/ tread <b>240 mm</b>	Warranty <b>10 years</b>			

## Product variants

SKU <b>41971</b>	SKU <b>41972</b>	SKU <b>41973</b>
Base <b>0,77 m × 1,27 m</b>	Base <b>0,82 m × 1,45 m</b>	Base <b>0,87 m × 1,63 m</b>
Number of rungs, incl. platform <b>3</b>	Number of rungs, incl. platform <b>4</b>	Number of rungs, incl. platform <b>5</b>
Platform height <b>0.72 m</b>	Platform height <b>0.96 m</b>	Platform height <b>1.2 m</b>
Transport dimensions <b>1.180 mm × 820 mm × 330 mm</b>	Transport dimensions <b>1.350 mm × 820 mm × 400 mm</b>	Transport dimensions <b>1.380 mm × 950 mm × 420 mm</b>
Weight <b>28.5 kg</b>	Weight <b>31.8 kg</b>	Weight <b>35 kg</b>
Working height <b>2.7 m</b>	Working height <b>2.95 m</b>	Working height <b>3.2 m</b>
SKU	SKU	SKU



41974	41975	41976
Base	Base	Base
<b>0,93 m × 1,81 m</b>	<b>0,98 m × 1,99 m</b>	<b>1,03 m × 2,17 m</b>
Number of rungs, incl. platform	Number of rungs, incl. platform	Number of rungs, incl. platform
<b>6</b>	<b>7</b>	<b>8</b>
Platform height	Platform height	Platform height
<b>1.44 m</b>	<b>1.68 m</b>	<b>1.92 m</b>
Transport dimensions	Transport dimensions	Transport dimensions
<b>1.850 mm × 1.000 mm × 330 mm</b>	<b>1.920 mm × 1.060 mm × 410 mm</b>	<b>2.220 mm × 1.030 mm × 360 mm</b>
Weight	Weight	Weight
<b>38.4 kg</b>	<b>41.8 kg</b>	<b>45.6 kg</b>
Working height	Working height	Working height
<b>3.45 m</b>	<b>3.7 m</b>	<b>3.9 m</b>