



# Mobile access steps with platform, double-sided access, with aluminium treads and platform

Maximum flexibility while ascending and descending, larger working area on the treads and four sprung castors for a high degree of mobility and stability.



## Product description

- Maximum flexibility while ascending and descending, larger working area on the treads and four sprung castors for a high degree of mobility and stability.
- Quick and easy assembly thanks to the new connecting elements.
- Mobile and quick to set up with four sprung swivel castors (two of which have brakes).
- Maximum safety through double-sided platform guardrail at a height of 1.00 m.
- Comfortable ascent thanks to 200 mm deep treads.
- Large platform, 600 x 800 mm.
- Maximum load 150 kg.



## Hints and special features

Optional double-sided handrail in compliance with DIN EN 131-7 on the steps.

Complies with EN 131-7

## Product features



Coating	natural
Connection between stiles and rungs/stiles	welded
Guardrail height	1000 mm
Load capacity	max. 150 kg
Material	aluminium
Platform length	800 mm
Platform width	600 mm
Standards	EN 131-7
Tread depth	200 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	240 mm
Warranty	10 years

## Product variants

	41981	41982	41983	41984	41985	41986
Base	0,77 m × 1,51 m	0,82 m × 1,79 m	0,87 m × 2,06 m	0,93 m × 2,34 m	0,98 m × 2,62 m	1,03 m × 2,9 m
Number of rungs, incl. platform	2 × 3	2 × 4	2 × 5	2 × 6	2 × 7	2 × 8
Number of treads	3	4	5	6	7	8
Platform height	0.72 m	0.96 m	1.2 m	1.44 m	1.68 m	1.92 m
Transport dimensions	1.300 mm × 820 mm × 470 mm	1.980 mm × 880 mm × 300 mm	1.850 mm × 940 mm × 440 mm	2.200 mm × 1.020 mm × 410 mm	2.250 mm × 1.060 mm × 410 mm	2.820 mm × 1.120 mm × 410 mm
Weight	31.2 kg	36 kg	41 kg	46.2 kg	51.7 kg	57.5 kg
Working height	2.7 m	2.95 m	3.2 m	3.45 m	3.7 m	3.9 m



More information about the product, accessories and spare parts:  
<https://www.zarges.com/uk/products/mobile-access-steps-with-platform-double-sided-access-with-aluminium-treads-and-platform>



ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway  
CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 4/6/2026  
Subject to change or error.