



# ZAP Safemaster Plus S

The flexible storage and retrieval solution for use on shelving, with high mobility, compact size when folded and large storage tray.

## Product description

- The flexible storage and retrieval solution for use on shelving, with high mobility, compact size when folded and large storage tray.
- Access section with horizontal stabiliser bar, support section with chassis beam, castors with locking mechanism (Ø 160 mm).
- Easy folding of the ladder for space-saving storage due to hinges in both diagonal braces.
- Aluminium work platform, approx. 600 x 630 mm, with three-sided safety guardrail.
- Narrow chassis: the chassis width is reduced to a minimum through additional ballasting.
- Large storage and retrieval tray.




## Hints and special features

Safe standing thanks to large, 600 × 630 mm aluminium platform with guardrail.

Complies with EN 131-7

## Product features

Load capacity	Platform length	Platform material	Platform width	Standards
<b>max. 150 kg</b>	<b>630 mm</b>	<b>Aluminium ribbed plate</b>	<b>600 mm</b>	<b>EN 131-7</b>




Storage tray	Tread depth	Type of rungs/treads	Warranty
<b>aluminium</b>	<b>80 mm</b>	<b>Safer Step</b>	<b>10 years</b>

## Product variants

SKU	SKU	SKU
<b>41201</b>	<b>41202</b>	<b>41203</b>
Base	Base	Base
<b>1,25 m × 1,09 m</b>	<b>1,4 m × 1,09 m</b>	<b>1,5 m × 1,29 m</b>
Chassis-beam width	Chassis-beam width	Chassis-beam width
<b>1.09 m</b>	<b>1.09 m</b>	<b>1.29 m</b>
Height including railing	Height including railing	Height including railing
<b>2 m</b>	<b>2.3 m</b>	<b>2.6 m</b>
Number of rungs, incl. platform	Number of rungs, incl. platform	Number of rungs, incl. platform
<b>4</b>	<b>5</b>	<b>6</b>
Platform height	Platform height	Platform height
<b>1 m</b>	<b>1.3 m</b>	<b>1.6 m</b>
Transport dimensions	Transport dimensions	Transport dimensions
<b>2.645 mm × 730 mm × 216 mm</b>	<b>2.920 mm × 720 mm × 250 mm</b>	<b>3.212 mm × 650 mm × 225 mm</b>
Weight	Weight	Weight
<b>42 kg</b>	<b>43 kg</b>	<b>47 kg</b>
Working height	Working height	Wide crosspiece
<b>3 m</b>	<b>3.3 m</b>	<b>1 m</b>
		Working height
		<b>3.6 m</b>
SKU	SKU	SKU



41204	41205	41207
Base	Base	Base
<b>1,65 m × 1,29 m</b>	<b>1,8 m × 1,69 m</b>	<b>2,05 m × 1,89 m</b>
Chassis-beam width	Chassis-beam width	Chassis-beam width
<b>1.29 m</b>	<b>1.69 m</b>	<b>1.88 m</b>
Height including railing	Height including railing	Height including railing
<b>2.8 m</b>	<b>3.1 m</b>	<b>3.6 m</b>
Number of rungs, incl. platform	Number of rungs, incl. platform	Number of rungs, incl. platform
<b>7</b>	<b>8</b>	<b>10</b>
Platform height	Platform height	Platform height
<b>1.8 m</b>	<b>2.1 m</b>	<b>2.6 m</b>
Transport dimensions	Transport dimensions	Transport dimensions
<b>3.492 mm × 650 mm × 226 mm</b>	<b>3.772 mm × 650 mm × 227 mm</b>	<b>4.332 mm × 650 mm × 226 mm</b>
Weight	Weight	Weight
<b>50.6 kg</b>	<b>55 kg</b>	<b>61 kg</b>
Wide crosspiece	Wide crosspiece	Wide crosspiece
<b>1 m</b>	<b>1 m</b>	<b>1 m</b>
Working height	Working height	Working height
<b>3.8 m</b>	<b>4.1 m</b>	<b>4.6 m</b>
SKU		
<b>41209</b>		
Base		
<b>2,3 m × 1,89 m</b>		
Chassis-beam width		
<b>1.88 m</b>		



Height including railing

**4.1 m**

Number of rungs, incl. platform

**12**

Platform height

**3.1 m**

Transport dimensions

**4.892 mm × 650 mm × 230 mm**

Weight

**65.8 kg**

Wide crosspiece

**1 m**

Working height

**5.1 m**