DATA SHEET

ZAP Safemaster S

The flanged platform ladder can now be retrofitted with triangular stabilisers to comply with EN 131-7.















PRODUCT DESCRIPTION

- The flanged platform ladder can now be retrofitted with triangular stabilisers to comply with EN 131-7.
- Optimal stability thanks to a rigid connection on both sides with pressure reinforcement.
- Foldable anodised handrails allow it to take up less space during transport.
- The handle on the platform allows the ladder to be folded up quickly and effortlessly.
- Aluminum work platform, approx. 400 x 400 mm, with three-sided safety railing (height 1,000 mm).
- Anodised handrails and guardrails.
- Generously sized storage tray for tools and small parts.
- 80 mm deep treads with ZARGES Safer Step Technology.
- Can be retrofitted with optional stabiliser sets to comply with EN 131, Part 7.

PRODUCT FEATURES

Property	Value
Anti-splay mechanism	Rigid locking bar
Certification	TÜV-SÜD
Guardrail height	1000 mm
Load capacity	max. 150 kg
Platform length	400 mm

Property	Value
Platform material	Aluminium ribbed plate
Platform width	400 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Storage tray	aluminium
Tread depth	80 mm
Type of rungs/treads	Safer Step
Warranty	10 years

PRODUCT VARIANTS

	41672	41681	41674	41675	41676	41677
Height including railing	1.53 m	1.79 m	2.06 m	2.32 m	2.6 m	2.87 m
Number of rungs, incl. platform	2	3	4	5	6	7
Overall base width	0.59 m	0.62 m	0.65 m	0.68 m	0.71 m	0.74 m
Overall length	1.87 m	2.15 m	2.43 m	2.71 m	2.99 m	3.27 m
Platform height	0.53 m	0.79 m	1.06 m	1.32 m	1.58 m	1.85 m
Transport dimensions	approx. 1.870 mm × 620 mm × 210 mm	approx. 2.150 mm × 620 mm × 210 mm	approx. 2.430 mm × 630 mm × 210 mm	approx. 2.710 mm × 680 mm × 210 mm	approx. 2.990 mm × 700 mm × 210 mm	approx. 3.270 mm × 720 mm × 210 mm
Weight	10.6 kg	11.8 kg	13 kg	14.4 kg	16.1 kg	17.4 kg

	41672	41681	41674	41675	41676	41677
Working height	2.53 m	2.79 m	3.06 m	3.32 m	3.58 m	3.85 m

	41678	41679
Height including railing	3.13 m	3.4 m
Number of rungs, incl. platform	8	9
Overall base width	0.77 m	0.8 m
Overall length	3.55 m	3.83 m
Platform height	2.11 m	2.34 m
Transport dimensions	approx. 3.550 mm × 750 mm × 210 mm	approx. 3.830 mm × 773 mm × 210 mm
Weight	19.1 kg	20.4 kg
Working height	4.11 m	4.34 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 6

Guardrail, anodised
SKU 41649



Stile extension
SKU 40922



Tension strap
SKU 40960



Theft protection
SKU 8210



ZAP castors
SKU 41671



ZAP stabiliser
SKU 41667 · 41668 · 41669

SPARE PARTS 6



Bracing
SKU 820816



End cap
SKU 824153



Plug-in end cap
SKU 824350 · 824352



Push-on end cap, antistatic
SKU 824475 · 824476



Safer Step tread inset
SKU 800530



User instructions label
SKU 800608

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 11/11/2026
Subject to change or error.