



# ZAP Safemaster S

Safe ascent and descent thanks to anti-slip steps, with handrail, exceptional stability and compact transport dimensions.

## Product description

- Safe ascent and descent thanks to anti-slip steps, with handrail, exceptional stability and compact transport dimensions.
- Optimum stability thanks to rigid locking bar on both sides.
- Foldable anodised handrails allow it to take up less space during transport.
- The handle on the platform allows the ladder to be folded up quickly and effortlessly.
- Large work platform (400 x 400 mm).
- Anodised handrails and guardrails.
- Generously sized storage tray for tools and small parts.
- 80 mm deep treads with ZARGES Safer Step Technology.
- Can be retrofitted with optional stabiliser sets to comply with EN 131, Part 7.



## Product features

Anti-splay mechanism	Rigid locking bar
Certification	TÜV-SÜD
Guardrail height	1000 mm
Load capacity	max. 150 kg



Platform length	400 mm
Platform material	Aluminium ribbed plate
Platform width	400 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Storage tray	aluminium
Tread depth	80 mm
Type of rungs/treads	Safer Step
Warranty	10 years

## Product variants

	41672	41681	41674	41675	41676	41677
Height including railing	1.53 m	1.79 m	2.06 m	2.32 m	2.6 m	2.87 m
Number of rungs, incl. platform	2	3	4	5	6	7
Overall base width	0.59 m	0.62 m	0.65 m	0.68 m	0.71 m	0.74 m
Overall length	1.87 m	2.15 m	2.43 m	2.71 m	2.99 m	3.27 m
Platform height	0.53 m	0.79 m	1.06 m	1.32 m	1.58 m	1.85 m
Transport dimensions	approx. 1.870 mm × 620 mm × 210 mm	approx. 2.150 mm × 620 mm × 210 mm	approx. 2.430 mm × 630 mm × 210 mm	approx. 2.710 mm × 680 mm × 210 mm	approx. 2.990 mm × 700 mm × 210 mm	approx. 3.270 mm × 720 mm × 210 mm
Weight	10.6 kg	11.8 kg	13 kg	14.4 kg	16.1 kg	17.4 kg
Working height	2.53 m	2.79 m	3.06 m	3.32 m	3.58 m	3.85 m



	41678	41679
Height including railing	3.13 m	3.4 m
Number of rungs, incl. platform	8	9
Overall base width	0.77 m	0.8 m
Overall length	3.55 m	3.83 m
Platform height	2.11 m	2.34 m
Transport dimensions	approx. 3.550 mm × 750 mm × 210 mm	approx. 3.830 mm × 773 mm × 210 mm
Weight	19.1 kg	20.4 kg
Working height	4.11 m	4.34 m

ZARGES (U.K.) Ltd.

8 Holdom Avenue. Saxon Park Ind. Est.  
 Bletchley MK1 1QU

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 4/4/2026  
 Subject to change or error.