



ZAP Safemaster S

Safe ascent and descent thanks to anti-slip steps, with handrail, exceptional stability and compact transport dimensions.

Product description

- Safe ascent and descent thanks to anti-slip steps, with handrail, exceptional stability and compact transport dimensions.
- Optimum stability thanks to rigid locking bar on both sides.
- Foldable anodised handrails allow it to take up less space during transport.
- The handle on the platform allows the ladder to be folded up quickly and effortlessly.
- Large work platform (400 x 400 mm).
- Anodised handrails and guardrails.
- Generously sized storage tray for tools and small parts.
- 80 mm deep treads with ZARGES Safer Step Technology.
- Can be retrofitted with optional stabiliser sets to comply with EN 131, Part 7.



Product features


Anti-splay mechanism	Guardrail height	Load capacity	Platform length	Platform material
Rigid locking bar	1000 mm	max. 150 kg	400 mm	Aluminium ribbed plate



Platform width 400 mm	Standards EN 131 professional	Stile depth 73 mm	Stile depth 58 mm	Stile depth steps/back stay 73mm / 58mm
Storage tray aluminium	Tread depth 80 mm	Type of rungs/treads Safer Step	Warranty 10 years	certification-mark-pf TÜV-SÜD

Product variants

SKU 41672	SKU 41681	SKU 41674
Height including railing 1.53 m	Height including railing 1.79 m	Height including railing 2.06 m
Number of rungs, incl. platform 2	Number of rungs, incl. platform 3	Number of rungs, incl. platform 4
Overall base width 0.59 m	Overall base width 0.62 m	Overall base width 0.65 m
Overall length 1.87 m	Overall length 2.15 m	Overall length 2.43 m
Platform height 0.53 m	Platform height 0.79 m	Platform height 1.06 m
Transport dimensions approx. 1.870 mm × 620 mm × 210 mm	Transport dimensions approx. 2.150 mm × 620 mm × 210 mm	Transport dimensions approx. 2.430 mm × 630 mm × 210 mm
Weight 10.6 kg	Weight 11.8 kg	Weight 13 kg
Working height	Working height	Working height



2.53 m	2.79 m	3.06 m
SKU 41675	SKU 41676	SKU 41677
Height including railing 2.32 m	Height including railing 2.6 m	Height including railing 2.87 m
Number of rungs, incl. platform 5	Number of rungs, incl. platform 6	Number of rungs, incl. platform 7
Overall base width 0.68 m	Overall base width 0.71 m	Overall base width 0.74 m
Overall length 2.71 m	Overall length 2.99 m	Overall length 3.27 m
Platform height 1.32 m	Platform height 1.58 m	Platform height 1.85 m
Transport dimensions approx. 2.710 mm × 680 mm × 210 mm	Transport dimensions approx. 2.990 mm × 700 mm × 210 mm	Transport dimensions approx. 3.270 mm × 720 mm × 210 mm
Weight 14.4 kg	Weight 16.1 kg	Weight 17.4 kg
Working height 3.32 m	Working height 3.58 m	Working height 3.85 m
SKU 41678	SKU 41679	
Height including railing 3.13 m	Height including railing 3.4 m	
Number of rungs, incl. platform	Number of rungs, incl. platform	



8	9
Overall base width	Overall base width
0.77 m	0.8 m
Overall length	Overall length
3.55 m	3.83 m
Platform height	Platform height
2.11 m	2.34 m
Transport dimensions	Transport dimensions
approx. 3.550 mm × 750 mm × 210 mm	approx. 3.830 mm × 773 mm × 210 mm
Weight	Weight
19.1 kg	20.4 kg
Working height	Working height
4.11 m	4.34 m