



ZAP Telemaster S

Secure and flexible: height adjustable platform with all-round railing for stability, easy to adjust with compact closed dimensions.

Product description

- The only platform ladder that perfectly combines maximum safety with the easiest possible handling.
- Simple height adjustment according to the push-up ladder principle, thus different heights can be obtained with only one platform ladder.
- Easy to use—handrails and guardrails unfold automatically during setup.
- Can be used on stairs and folded to a very compact size for transport and storage.
- The two rear wheels make it easy to move.
- Large standing surface, 665 × 440 mm, made of 7-ply adhesive-bonded plywood board, with guardrail and knee bar, ensures maximum work safety and comfortable standing.
- Complies with new European standard DIN EN 131-7.
- The ladder can be easily moved thanks to two large casters on the back, even when it is set up.
- Compact dimensions when folded, therefore easy to transport and store.
- High strength, non-twist rung/stile connections.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping.
- Can be used on steps/stairs.
- Order No. 41325 without stabiliser.
- Number of ballast weights required for order no.





41328 when used outdoors: 4 (order no. 41331).

Product features

Guardrail height	1 m
Length	0.4 m
Load capacity	max. 150 kg
Platform length	665 mm
Platform material	7-layer laminated plywood
Platform width	440 mm
Standards	EN 131-7
Storage tray	aluminium
Tread depth	30 mm
Warranty	10 years

Product variants

	41325	41326	41327	41328
Footpoint, stabiliser rod extended L x W	1,45m x 1 m	1,8m x 2,25 m	2,2m x 2,55 m	2,8m x 2,5 m
Footpoint, stabiliser rod retracted L x W	1,45m x 1 m	1,8m x 0,81 m	2,2m x 0,81 m	2,8m x 0,81 m
Height including railing	max. 2.37 m	max. 2.86 m	max. 3.38 m	max. 4.17 m
No. of rungs incl. platform	5	7	9	12
Platform height	0,81m / 1,08m / 1,34m	1,05m / 1,3m / 1,6m / 1,83m	1,31m / 1,6m / 1,8m / 2,1m / 2,35m	1,83m / 2,12m / 2,38m / 2,65m / 2,9m / 3,15m
Transport dimensions	2.160 mm x 1.020 mm x 400 mm	2.440 mm x 820 mm x 400 mm	2.720 mm x 820 mm x 400 mm	3.280 mm x 820 mm x 400 mm
Weight	28 kg	34 kg	38.5 kg	50 kg



	41325	41326	41327	41328
Width	2.16 m	2.44 m	2.72 m	3.28 m
Width, extended	1 m	2.25 m	2.55 m	2.5 m
Width, retracted	1 m	0.81 m	0.81 m	0.81 m
Working height	3.34 m	3.83 m	4.35 m	5.15 m
closed length	1.45 m	1.8 m	2.2 m	2.8 m
extended length	1.45 m	1.8 m	2.2 m	2.8 m

ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway
 CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 28/6/2026
 Subject to change or error.