




# Multi-section fixed ladder systems, anodised aluminium

Multi-section access solution with crossover platform for buildings and machinery.

## Product description

- For permanent mounting on buildings either for maintenance in accordance with DIN 18 799-1 or as an emergency ladder system in accordance with DIN 14 094-1 or as machine access steps in accordance with DIN EN ISO 14 122-4.
- With safety cage.
- Ladder width: 520 mm.
- Wall brackets with various wall clearances of up to 600 mm can be selected.
- The maximum permissible distance between two wall brackets is 2.00 m. But each ladder section must be mounted with at least two wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- We can also produce fixed-ladder designs that differ from the standard specification on request.



## Hints and special features

Dowels and screws/bolts for wall mounting are not included in the scope of delivery.

The prices for double-section systems listed below are



calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, crossover platform, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.

## Product features

Material	Warranty
<b>Anodised aluminium</b>	<b>10 years</b>

## Product variants

SKU <b>58507</b>	SKU <b>58518</b>	SKU <b>58526</b>
Overall length incl. stile <b>11.8 m</b>	Overall length incl. stile <b>12.9 m</b>	Overall length incl. stile <b>13.7 m</b>
access height <b>10.7 m</b>	access height <b>11.8 m</b>	access height <b>12.6 m</b>
SKU <b>58538</b>	SKU <b>58549</b>	SKU <b>58557</b>
Overall length incl. stile <b>14.9 m</b>	Overall length incl. stile <b>16 m</b>	Overall length incl. stile <b>16.8 m</b>
access height <b>13.8 m</b>	access height <b>14.9 m</b>	access height <b>15.7 m</b>
SKU	SKU	SKU



58568	58580	58591
Overall length incl. stile	Overall length incl. stile	Overall length incl. stile
<b>17.9 m</b>	<b>19.1 m</b>	<b>20.2 m</b>
access height	access height	access height
<b>16.8 m</b>	<b>18 m</b>	<b>19.1 m</b>