


# Multi-section fixed ladder systems, natural aluminium

Multi-section access solution with crossover platform for buildings and machinery.

## Product description

- For permanent installation to BGV D 36 and DIN 18 799-1, DIN 14 094-1 and EN ISO 14 122-4.
- With back guards.
- Ladder width: 520 mm.
- Wall brackets with various wall distances up to 600 mm can be selected.
- The distance between the wall brackets is max. 2.00 m. But each ladder section must be mounted with at least 2 wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- On request, we can also produce fixed-ladders that differ from the standard specifications.



## Hints and special features

Dowels and screws/bolts for wall mounting are not included in the scope of delivery.

The prices for double-section systems listed below are calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, crossover platform, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.


## Product features

Material

**Natural aluminium**

Warranty

**10 years**



## Product variants

SKU <b>58607</b>	SKU <b>58618</b>	SKU <b>58626</b>
Overall length incl. stile <b>11.8 m</b>	Overall length incl. stile <b>12.9 m</b>	Overall length incl. stile <b>13.7 m</b>
access height <b>10.7 m</b>	access height <b>11.8 m</b>	access height <b>12.6 m</b>
SKU <b>58638</b>	SKU <b>58649</b>	SKU <b>58657</b>
Overall length incl. stile <b>14.9 m</b>	Overall length incl. stile <b>16 m</b>	Overall length incl. stile <b>16.8 m</b>
access height <b>13.8 m</b>	access height <b>14.9 m</b>	access height <b>15.7 m</b>
SKU <b>58668</b>	SKU <b>58680</b>	SKU <b>58691</b>
Overall length incl. stile <b>17.9 m</b>	Overall length incl. stile <b>19.1 m</b>	Overall length incl. stile <b>20.2 m</b>
access height <b>16.8 m</b>	access height <b>18 m</b>	access height <b>19.1 m</b>