





# Multi-section fixed ladder systems, stainless steel

Multi-section access solution with crossover platform for buildings and machinery.

### **Product description**

- For permanent mounting on buildings either for maintenance in accordance with DIN 18 799-1 or as an emergency ladder system in accordance with DIN 14 094-1 or as machine access steps in accordance with DIN EN ISO 14 122-4.
- With safety cage.
- · Ladder width: 520 mm.
- Wall brackets with various wall clearances of up to 600 mm can be selected.
- The maximum permissible distance between two wall brackets is 2.00 m. But each ladder section must be mounted with at least two wall brackets.
- Safety barriers, access protection and platforms can be selected to suit individual requirements.
- We can also produce fixed-ladder designs that differ from the standard specification on request.

## Hints and special features

Dowels and screws/bolts for wall mounting are not included in the scope of delivery.

The prices for double-section systems listed below are









calculated as follows: Wall bracket in the form of a U-bar, 200 mm rigid, straight stile extensions on both sides, crossover platform, incl. back cage in accordance with DIN 18 799-1. In the case of other requirements, please use our planning system for fixed ladders.

#### **Product features**

Material

Warranty

Stainless steel

10 years

#### **Product variants**

SKU 58807	SKU 58818	SKU 58826
Overall length incl. stile  11.8 m	Overall length incl. stile  12.9 m	Overall length incl. stile  13.7 m
access height 10.7 m	access height  11.8 m	access height  12.6 m
SKU 58838	SKU 58849	SKU 58857
Overall length incl. stile  14.9 m	Overall length incl. stile  16 m	Overall length incl. stile  16.8 m
access height  13.8 m	access height 14.9 m	access height 15.7 m
SKU 58868	SKU 58880	SKU 58891



# More information about the product, accessories and spare parts: https://www.zarges.com/uk/products/multi-section-fixed-ladder-systems-stainless-steel-v4a



Overall length incl. stile	Overall length incl. stile	Overall length incl. stile
17.9 m	19.1 m	20.2 m
access height	access height	access height
16.8 m	18 m	19.1 m