



Shaft ladder, steel, internal width 300 mm

Product description

- Inside width of ladder: 300 mm.
- Overall ladder width: 340 mm.
- Rung spacing: 280 mm.
- Stile dimensions: 50 × 20 mm.
- Dimensions of perforated rung: 29 x 29 mm.
- Material: hot-dip galvanised steel.



Hints and special features


A fall arrester device is mandatory in the case of possible falling heights in excess of 5.00 m. From an internal width of 300 mm upwards, it is attached to the stile. From an internal width of 400 mm upwards, it is attached in centred position on the rungs.


assembly combination for further lengths on request.

Product features


Ladder width	Material	Tread depth	Vertical distance between each rung/ tread	Warranty
340 mm	Steel, galvanised	29 mm	280 mm	10 years

Product variants





SKU 47321	SKU 47322	SKU 47323
Length 1.12 m	Length 1.4 m	Length 1.68 m
Number of rungs 4	Number of rungs 5	Number of rungs 6
Weight 5.2 kg	Weight 6.6 kg	Weight 8 kg
SKU 47324	SKU 47325	SKU 47326
Length 1.96 m	Length 2.24 m	Length 2.52 m
Number of rungs 7	Number of rungs 8	Number of rungs 9
Weight 9.4 kg	Weight 10.8 kg	Weight 12.2 kg
SKU 47327	SKU 47328	SKU 47329
Length 2.8 m	Length 3.08 m	Length 3.36 m
Number of rungs 10	Number of rungs 11	Number of rungs 12
Weight 13.6 kg	Weight 15 kg	Weight 16.4 kg



SKU	SKU	SKU
47623	47624	47625
Length	Length	Length
3.64 m	3.92 m	4.2 m
Number of rungs	Number of rungs	Number of rungs
13	14	15
Weight	Weight	Weight
17.8 kg	19.2 kg	20.6 kg