



Shaft ladder, stainless steel, internal width 300 mm



Product description

- Inside width of ladder: 300 mm.
- Overall ladder width: 340 mm.
- Rung spacing: 280 mm.
- Stile dimensions: 50 × 20 mm.
- Dimensions of perforated rung: 29 x 29 mm.
- Material: stainless steel V4A (1.4571).

Hints and special features

A fall arrester device is mandatory in the case of possible falling heights in excess of 5.00 m. From an internal width of 300 mm upwards, it is attached to the stile. From an internal width of 400 mm upwards, it is attached in centred position on the rungs.

assembly combination for further lengths on request.


Product features

Ladder width	Material	Tread depth	Vertical distance between each rung/ tread	Warranty
340 mm	Stainless steel	29 mm	280 mm	10 years

Product variants



SKU 47341	SKU 47342	SKU 47343
Length 1.12 m	Length 1.4 m	Length 1.68 m
Number of rungs 4	Number of rungs 5	Number of rungs 6
Weight 5.2 kg	Weight 6.6 kg	Weight 8 kg
SKU 47344	SKU 47345	SKU 47346
Length 1.96 m	Length 2.24 m	Length 2.52 m
Number of rungs 7	Number of rungs 8	Number of rungs 9
Weight 9.4 kg	Weight 10.8 kg	Weight 12.2 kg
SKU 47347	SKU 47348	SKU 47349
Length 2.8 m	Length 3.08 m	Length 3.36 m
Number of rungs 10	Number of rungs 11	Number of rungs 12
Weight 13.6 kg	Weight 15 kg	Weight 16.4 kg
SKU	SKU	SKU



47643	47644	47645
Length	Length	Length
3.64 m	3.92 m	4.2 m
Number of rungs	Number of rungs	Number of rungs
13	14	15
Weight	Weight	Weight
17.8 kg	19.2 kg	20.6 kg