



Shaft ladder, GRP, internal width 300 mm

Product description

- Inside width of ladder: 300 mm.
- Outer width of ladder: 340 mm.
- Rung spacing: 280 mm.
- Dimensions of stile: 58 x 25 mm.
- Dimensions of non-slip GRP rung: 30 x 30 mm.
- Material: glass-fibre-reinforced plastic (GRP).




Hints and special features

A fall arrester device is mandatory in the case of possible falling heights in excess of 5.00 m. From an internal width of 300 mm upwards, it is attached to the stile. From an internal width of 400 mm upwards, it is attached in centred position on the rungs.
 assembly combination for further lengths on request.

Product features

Ladder width	Material	Tread depth	Vertical distance between each rung/ tread	Warranty
350 mm	Glass-fibre reinforced plastic	30 mm	280 mm	10 years

Product variants





SKU 47361	SKU 47362	SKU 47363
Length 1.12 m	Length 1.4 m	Length 1.68 m
Number of rungs 4	Number of rungs 5	Number of rungs 6
Weight 2.9 kg	Weight 3.6 kg	Weight 4.3 kg
SKU 47364	SKU 47365	SKU 47366
Length 1.96 m	Length 2.24 m	Length 2.52 m
Number of rungs 7	Number of rungs 8	Number of rungs 9
Weight 5 kg	Weight 5.7 kg	Weight 6.4 kg
SKU 47367	SKU 47368	SKU 47369
Length 2.8 m	Length 3.08 m	Length 3.36 m
Number of rungs 10	Number of rungs 11	Number of rungs 12
Weight 7.1 kg	Weight 7.8 kg	Weight 8.5 kg



SKU	SKU	SKU
47663	47664	47665
Length	Length	Length
3.64 m	3.92 m	4.2 m
Number of rungs	Number of rungs	Number of rungs
13	14	15
Weight	Weight	Weight
9.2 kg	9.9 kg	10.6 kg