



Shaft ladder, GRP, internal width 400 mm

Product description

- Inside width of ladder: 400 mm.
- Outer width of ladder: 440 mm.
- Rung spacing: 280 mm.
- Dimensions of stile: 58 x 25 mm.
- Dimensions of non-slip GRP rung: 30 x 30 mm.
- Material: glass-fibre-reinforced plastic (GRP).




Hints and special features

A fall arrester device is mandatory in the case of possible falling heights in excess of 5.00 m. From an internal width of 300 mm upwards, it is attached to the stile. From an internal width of 400 mm upwards, it is attached in centred position on the rungs. assembly combination for further lengths on request.

Product features

Ladder width	Material	Tread depth	Vertical distance between each rung/ tread	Warranty
450 mm	Glass-fibre reinforced plastic	30 mm	280 mm	10 years

Product variants





SKU 47371	SKU 47372	SKU 47373
Length 1.12 m	Length 1.4 m	Length 1.68 m
Number of rungs 4	Number of rungs 5	Number of rungs 6
Weight 5.7 kg	Weight 7.3 kg	Weight 8.9 kg
SKU 47374	SKU 47375	SKU 47376
Length 1.96 m	Length 2.24 m	Length 2.52 m
Number of rungs 7	Number of rungs 8	Number of rungs 9
Weight 10.5 kg	Weight 12.1 kg	Weight 13.7 kg
SKU 47377	SKU 47378	SKU 47379
Length 2.8 m	Length 3.08 m	Length 3.36 m
Number of rungs 10	Number of rungs 11	Number of rungs 12
Weight 15.3 kg	Weight 16.9 kg	Weight 18.5 kg



SKU	SKU	SKU
47673	47674	47675
Length	Length	Length
3.64 m	3.92 m	4.2 m
Number of rungs	Number of rungs	Number of rungs
13	14	15
Weight	Weight	Weight
20.1 kg	21.7 kg	23.3 kg