DATA SHEET

Well cover, square

PRODUCT DESCRIPTION

- Lid made from sheet metal, 2.5 mm thick, elevated in the centre, with internal transverse bracing
- From 800 x 800 mm or Ø 800 mm with gas pressure spring.
- Self-closing fastener, hold-open device can only be released by hand.
- Frame prepared for setting in concrete and attachment with dowels.



PRODUCT FEATURES

Property	Value
Shape	Square without a ventilation chimney

PRODUCT VARIANTS

	47140	47141	47142	47148	47149	47150
Inside shaft length	625 mm	800 mm	1000 mm	625 mm	800 mm	1000 mm
Inside shaft size	625mm × 625mm	800mm × 800mm	1.000mm × 1.000mm	625mm × 625mm	800mm × 800mm	1.000mm × 1.000mm
Inside shaft width	625 mm	800 mm	1000 mm	625 mm	800 mm	1000 mm
Material	Steel, galvanised	Steel, galvanised	Steel, galvanised	Steel, galvanised	Steel, galvanised	Steel, galvanised
Outside dimensions max. L x W x H	745 mm × 745 mm	920 mm × 920 mm	1.120 mm × 1.120 mm	745 mm × 745 mm	920 mm × 920 mm	1.120 mm × 1.120 mm

	47140	47141	47142	47148	47149	47150
Transport dimensions	740 mm × 740 mm × 200 mm	920 mm × 920 mm × 200 mm	1.120 mm × 1.120 mm × 200 mm	740 mm × 740 mm × 200 mm	920 mm × 920 mm × 200 mm	1.120 mm × 1.120 mm × 200 mm
Version	without insulation	without insulation	without insulation	with insulation	with insulation	with insulation

	47144	47145	47181	47146	47147	47152
Inside shaft length	625 mm	800 mm	1000 mm	1000 mm	1200 mm	625 mm
Inside shaft size	625mm × 625mm	800mm × 800mm	1.000mm × 800mm	1.000mm × 1.000mm	1.200mm × 1.200mm	625mm × 625mm
Inside shaft width	625 mm	800 mm	800 mm	1000 mm	1200 mm	625 mm
Material	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel	stainless steel
Outside dimensions max. L x W x H	745 mm × 745 mm	920 mm × 920 mm	1.120 mm × 820 mm	1.120 mm × 1.120 mm	1.320 mm × 1.320 mm	745 mm × 745 mm
Transport dimensions	740 mm × 740 mm × 200 mm	920 mm × 920 mm × 200 mm	1.120 mm × 820 mm × 200 mm	1.120 mm × 1.120 mm × 200 mm	1.320 mm × 1.320 mm × 200 mm	745 mm × 745 mm × 200 mm
Version	without insulation	without insulation	without insulation	without insulation	without insulation	with insulation

	47153	47191	47154	47155
Inside shaft length	800 mm	1000 mm	1000 mm	1200 mm
Inside shaft size	800mm × 800mm	1.000mm × 800mm	1.000mm × 1.000mm	1.200mm × 1.200mm
Inside shaft width	800 mm	800 mm	1000 mm	1200 mm
Material	stainless steel	stainless steel	stainless steel	–
Outside dimensions max. L x W x H	920 mm × 920 mm	1.120 mm × 920 mm	1.120 mm × 1.120 mm	1.320 mm × 1.320 mm
Transport dimensions	920 mm × 920 mm × 200 mm	1.120 mm × 920 mm × 280 mm	1.120 mm × 1.120 mm × 200 mm	1.320 mm × 1.320 mm × 200 mm
Version	with insulation	with insulation	with insulation	with insulation

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 13/11/2026
Subject to change or error.