



Platform steps

Compact work platform with easy-going steps. Choice of stationary or mobile version (for moving quickly to another working position). Ideal for work over long periods, even with tools.

Product description

- Compact work platform with easy-going steps. Ideal for work over long periods, even with tools.



Hints and special features

We recommend equipping the product in accordance with the German Equipment and Product Safety Act (ProdSG) with two-sided handrails and, for steps with platforms or maintenance platforms, all-round fall protection (e.g. guardrails). If handrails or guardrails are not desired, the operator must ensure sufficient regulatory protection.

Standard applied: DIN EN ISO 14 122.



Product features

Load capacity	Max. load per tread	Platform length	Standards	Warranty
max. 300 kg	150 kg	400 mm	NF EN ISO 14122-4	10 years

Product variants

SKU	SKU	SKU
-----	-----	-----



40855520	40855521	40855522
Inclination	Inclination	Inclination
45 °	45 °	45 °
Number of treads	Number of treads	Number of treads
2	3	4
Overall span	Overall span	Overall span
951 mm	1151 mm	1351 mm
Tread width	Tread width	Tread width
600 mm	600 mm	600 mm
Vertical height	Vertical height	Vertical height
400 mm	600 mm	800 mm
SKU	SKU	SKU
40855523	40855524	40855525
Inclination	Inclination	Inclination
45 °	45 °	45 °
Number of treads	Number of treads	Number of treads
5	2	3
Overall span	Overall span	Overall span
1541 mm	951 mm	1151 mm
Tread width	Tread width	Tread width
600 mm	800 mm	800 mm
Vertical height	Vertical height	Vertical height
990 mm	400 mm	600 mm
SKU	SKU	SKU
40855526	40855527	40855528



Inclination 45 °	Inclination 45 °	Inclination 45 °
Number of treads 4	Number of treads 5	Number of treads 2
Overall span 1351 mm	Overall span 1541 mm	Overall span 951 mm
Tread width 800 mm	Tread width 800 mm	Tread width 1000 mm
Vertical height 800 mm	Vertical height 990 mm	Vertical height 400 mm
SKU 40855529	SKU 40855530	SKU 40855531
Inclination 45 °	Inclination 45 °	Inclination 45 °
Number of treads 3	Number of treads 4	Number of treads 5
Overall span 1151 mm	Overall span 1351 mm	Overall span 1541 mm
Tread width 1000 mm	Tread width 1000 mm	Tread width 1000 mm
Vertical height 600 mm	Vertical height 800 mm	Vertical height 990 mm
SKU 40855540	SKU 40855541	SKU 40855542



Inclination 60 °	Inclination 60 °	Inclination 60 °
Number of treads 2	Number of treads 3	Number of treads 4
Overall span 864 mm	Overall span 1008 mm	Overall span 1147 mm
Tread width 600 mm	Tread width 600 mm	Tread width 600 mm
Vertical height 500 mm	Vertical height 750 mm	Vertical height 990 mm
SKU 40855544	SKU 40855545	SKU 40855546
Inclination 60 °	Inclination 60 °	Inclination 60 °
Number of treads 2	Number of treads 3	Number of treads 4
Overall span 864 mm	Overall span 1008 mm	Overall span 1147 mm
Tread width 800 mm	Tread width 800 mm	Tread width 800 mm
Vertical height 500 mm	Vertical height 750 mm	Vertical height 990 mm
SKU 40855548	SKU 40855549	SKU 40855550
Inclination	Inclination	Inclination



60 °	60 °	60 °
Number of treads	Number of treads	Number of treads
2	3	4
Overall span	Overall span	Overall span
864 mm	1008 mm	1147 mm
Tread width	Tread width	Tread width
1000 mm	1000 mm	1000 mm
Vertical height	Vertical height	Vertical height
500 mm	750 mm	990 mm