



ZAP R13master S

The universal platform ladder for any heavy-duty application! Or specifically as a refuelling ladder.

Product description

- The universal platform ladder for any heavy-duty application! Or specifically as a refuelling ladder.
- Our ladder is equipped with two removable mounts for securely holding underwing refuelling nozzles on the ladder's access section.
- The crossbar on the ladder's support section ensures stability.
- The spacious platform (450 x 500 mm), made of steel grating with a slip resistance rating of R13, ensures maximum stability.
- Two electrically conductive rollers on the riser provide a simple method for moving the conductors.
- 80 mm deep treads with R13 tread and grooves, as well as perforations to allow liquids to drain, for noticeably better traction in any situation.



Product features

Anti-splay mechanism	Belt strap
Coating	natural
Connection between stiles and rungs/stiles	flanged
Load capacity	max. 150 kg
Material	Natural aluminium



Platform length	500 mm
Platform width	450 mm
Standards	EN 131-7
Stile depth	73 mm
Tread depth	80 mm
Type of rungs/treads	R13 tread
Vertical distance between each rung/tread	265 mm
Warranty	10 years
non-static	Yes

Product variants

	40098	40099	40051
Number of rungs, incl. platform	4	5	6
Overall base width	1100 mm	1200 mm	1200 mm
Platform height	1.07 m	1.35 m	1.6 m
Transport dimensions	2.050 mm × 1.200 mm × 400 mm	2.350 mm × 1.250 mm × 400 mm	2.550 mm × 1.450 mm × 400 mm
Weight	17 kg	18 kg	20 kg
Wide crosspiece	1.1 m	1.2 m	1.4 m
Working height	3 m	3.35 m	3.6 m

ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway

CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:

sales@zarges.co.uk

www.zarges.com/uk

Effective 9/6/2026

Subject to change or error.