DATA SHEET

Fuelling platform with height adjustable between 2.50 and 4.25 metres

The fuelling platform equipped with hydraulic height adjustment offers you flexible access to fuelling stations at various heights.



PRODUCT DESCRIPTION

- Hydraulic height adjustment between 2.50 and 4.25 metres.
- This product can be ordered with towing eye or ball coupling on its tow bar depending on the towing vehicle used.
- A platform (918 x 830 mm) optimised for secure footing offers enough space for refuelling to be performed ergonomically.
- The treads and platform are fitted with R13 anti-slip safety panels that allow water to drain easily, offering an extremely high level of safety.
- The 530 mm pneumatic tyres in combination with a tow bar allow for towing speeds of up to 30 km/h.
- Our platforms comply with the European standards EN 12312-5 and EN 1915-1.

HINTS AND SPECIAL FEATURES

No fuelling equipment is included for this product variant. However, the same product is also available with fuelling equipment.
Standards used:DIN EN 1915 - General requirementsPart 1 - Basic safety requirementsPart 2 - Stability and strength requirementsDIN EN 12312 - Aircraft ground support equipmentPart 5 - Aircraft fuelling equipmentPart 8 - Maintenance stairs and platforms

ZARGES (U.K.) LTD.
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 10/11/2026
Subject to change or error.