



Fuelling platform with height adjustable between 2.50 and 4.25 metres.

The fuelling platform equipped with hydraulic height adjustment offers you flexible access to fuelling stations at various heights.

Product description

- Hydraulic height adjustment between 2.50 and 4.25 metres.
- This product can be ordered with towing eye or ball coupling on its tow bar depending on the towing vehicle used.
- A platform (918 x 830 mm) optimised for secure footing offers enough space for refuelling to be performed ergonomically.
- The treads and platform are fitted with R13 anti-slip safety panels that allow water to drain easily, offering an extremely high level of safety.
- The 530 mm pneumatic tyres in combination with a tow bar allow for towing speeds of up to 30 km/h.
- Our platforms comply with the European standards EN 12312-5 and EN 1915-1.



Hints and special features

No fuelling equipment is included for this product variant. However, the same product is also available with fuelling equipment.

Standards used: DIN EN 1915 - General

requirements Part 1 - Basic safety requirements Part 2 -



Stability and strength requirementsDIN EN 12312 -
Aircraft ground support equipmentPart 5 - Aircraft
fuelling equipmentPart 8 - Maintenance stairs and
platforms

ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:
sales@zarges.co.uk

www.zarges.com/uk

Effective 27/6/2026
Subject to change or error.