



## GRP platform ladder

Constructed from strong and resilient fibreglass, the ZARGES Fibreglass Platform Stepladder is long-lasting and capable of withstanding heavy use. Ideal for use near electrical hazards.

### Product description

- Non-conductive fibreglass stiles ideal for working around electricity.
- Large platform provides secure and comfortable work area.
- Integral tool tray for holding tools and equipment.
- Heavy-duty internal spreaders increase usability and ease of stowage.
- A generous step spacing of 250 mm ensures excellent working heights.
- Heavy-duty slip-resistant tread profile for added strength and security.
- Heavy-duty bracing at the foot for extra support.



### Hints and special features

Complies with EN 131 Professional.

### Product features

Anti-splay mechanism	Rigid locking bar
Connection between stiles and rungs/stiles	riveted
Load capacity	max. 150 kg
Material	Aluminium / plastic



Platform length	320 mm
Platform width	250 mm
Standards	EN 131 professional
Storage tray	Plastic
Tread depth	80 mm
Type of rungs/treads	serrated
Vertical distance between each rung/tread	250 mm
Warranty	10 years

## Product variants

	300803	300804	300805	300806	300808	300810
Base	0,81 m × 0,48 m	0,97 m × 0,51 m	1,13 m × 0,55 m	1,29 m × 0,58 m	1,61 m × 0,64 m	1,92 m × 0,7 m
Number of rungs, incl. platform	3	4	5	6	8	10
Overall base width	0.48 m	0.51 m	0.55 m	0.58 m	0.64 m	0.7 m
Overall length	1.43 m	1.68 m	1.93 m	2.18 m	2.68 m	3.18 m
Platform height	0.7 m	0.94 m	1.17 m	1.4 m	1.87 m	2.34 m
Transport dimensions	approx. 1.430 mm × approx. 480 mm × approx. 150 mm	approx. 1.680 mm × approx. 510 mm × approx. 150 mm	approx. 1.930 mm × approx. 550 mm × approx. 150 mm	approx. 2.180 mm × approx. 580 mm × approx. 150 mm	approx. 2.680 mm × approx. 640 mm × approx. 150 mm	approx. 3.180 mm × approx. 700 mm × approx. 150 mm
Weight	6.63 kg	9.05 kg	10.27 kg	11.65 kg	15.07 kg	18.03 kg
Working height	2.7 m	2.95 m	3.2 m	3.4 m	3.9 m	4.35 m



ZARGES (U.K.) Ltd.

Blackwater Trading Estate, The Causeway  
CM9 4LJ Maldon, Essex

Tel: 01908 641118

Fax:  
[sales@zarges.co.uk](mailto:sales@zarges.co.uk)

[www.zarges.com/uk](http://www.zarges.com/uk)

Effective 27/6/2026  
Subject to change or error.