



GRP platform ladder

Constructed from strong and resilient fibreglass, the ZARGES Fibreglass Platform Stepladder is long-lasting and capable of withstanding heavy use. Ideal for use near electrical hazards.

Product description

- Non-conductive fibreglass stiles ideal for working around electricity.
- Large platform provides secure and comfortable work area.
- Integral tool tray for holding tools and equipment.
- Heavy-duty internal spreaders increase usability and ease of stowage.
- Generous 250mm tread pitch gives excellent working heights.
- Heavy-duty slip-resistant tread profile for added strength and security.
- Heavy-duty bracing at the foot for extra support.



Hints and special features

Complies with EN 131 Professional.

Product features

Anti-splay mechanism Rigid locking bar	Connection between stiles and rungs/stiles riveted	Load capacity max. 150 kg	Material Aluminium / plastic	Platform length 320 mm
Platform width	Standards	Stile depth steps/back stay	Storage tray	Tread depth



250 mm	EN 131 professional	/	Plastic	80 mm
Type of rungs/treads serrated	Vertical distance between each rung/tread 250 mm	Warranty 10 years		

Product variants

SKU 300803	SKU 300804	SKU 300805
Base 0,81 m × 0,48 m	Base 0,97 m × 0,51 m	Base 1,13 m × 0,55 m
Number of rungs, incl. platform 3	Number of rungs, incl. platform 4	Number of rungs, incl. platform 5
Overall base width 0.48 m	Overall base width 0.51 m	Overall base width 0.55 m
Overall length 1.43 m	Overall length 1.68 m	Overall length 1.93 m
Platform height 0.7 m	Platform height 0.94 m	Platform height 1.17 m
Transport dimensions approx. 1.430 mm × approx. 480 mm × approx. 150 mm	Transport dimensions approx. 1.680 mm × approx. 510 mm × approx. 150 mm	Transport dimensions approx. 1.930 mm × approx. 550 mm × approx. 150 mm
Weight 6.63 kg	Weight 9.05 kg	Weight 10.27 kg
Working height 2.7 m	Working height 2.95 m	Working height 3.2 m



SKU	SKU	SKU
300806	300808	300810
Base	Base	Base
1,29 m × 0,58 m	1,61 m × 0,64 m	1,92 m × 0,7 m
Number of rungs, incl. platform	Number of rungs, incl. platform	Number of rungs, incl. platform
6	8	10
Overall base width	Overall base width	Overall base width
0.58 m	0.64 m	0.7 m
Overall length	Overall length	Overall length
2.18 m	2.68 m	3.18 m
Platform height	Platform height	Platform height
1.4 m	1.87 m	2.34 m
Transport dimensions	Transport dimensions	Transport dimensions
approx. 2.180 mm × approx. 580 mm × approx. 150 mm	approx. 2.680 mm × approx. 640 mm × approx. 150 mm	approx. 3.180 mm × approx. 700 mm × approx. 150 mm
Weight	Weight	Weight
11.65 kg	15.07 kg	18.03 kg
Working height	Working height	Working height
3.4 m	3.9 m	4.35 m