



GRP platform ladder

Constructed from strong and resilient fibreglass, the ZARGES Fibreglass Platform Stepladder is long-lasting and capable of withstanding heavy use. Ideal for use near electrical hazards.

Product description

- Non-conductive fibreglass stiles ideal for working around electricity.
- Large platform provides secure and comfortable work area.
- Integral tool tray for holding tools and equipment.
- Heavy-duty internal spreaders increase usability and ease of stowage.
- Generous 250mm tread pitch gives excellent working heights.
- Heavy-duty slip-resistant tread profile for added strength and security.
- Heavy-duty bracing at the foot for extra support.



Hints and special features

Complies with EN 131 Professional.

Product features

| | | | | |
|--|--|-------------------------------------|--|----------------------------------|
| Anti-splay mechanism Rigid locking bar | Connection between stiles and rungs/stiles riveted | Load capacity max. 150 kg | Material Aluminium / plastic | Platform length 320 mm |
| Platform width | Standards | Stile depth steps/back stay | Storage tray | Tread depth |



| | | | | |
|---|--|-----------------------------|----------------|--------------|
| 250 mm | EN 131 professional | / | Plastic | 80 mm |
| Type of rungs/treads serrated | Vertical distance between each rung/tread 250 mm | Warranty 10 years | | |

Product variants

| | | |
|---|---|---|
| SKU 300803 | SKU 300804 | SKU 300805 |
| Base 0,81 m × 0,48 m | Base 0,97 m × 0,51 m | Base 1,13 m × 0,55 m |
| Number of rungs, incl. platform 3 | Number of rungs, incl. platform 4 | Number of rungs, incl. platform 5 |
| Overall base width 0.48 m | Overall base width 0.51 m | Overall base width 0.55 m |
| Overall length 1.43 m | Overall length 1.68 m | Overall length 1.93 m |
| Platform height 0.7 m | Platform height 0.94 m | Platform height 1.17 m |
| Transport dimensions approx. 1.430 mm × approx. 480 mm × approx. 150 mm | Transport dimensions approx. 1.680 mm × approx. 510 mm × approx. 150 mm | Transport dimensions approx. 1.930 mm × approx. 550 mm × approx. 150 mm |
| Weight 6.63 kg | Weight 9.05 kg | Weight 10.27 kg |
| Working height 2.7 m | Working height 2.95 m | Working height 3.2 m |



| SKU | SKU | SKU |
|---|---|---|
| 300806 | 300808 | 300810 |
| Base | Base | Base |
| 1,29 m × 0,58 m | 1,61 m × 0,64 m | 1,92 m × 0,7 m |
| Number of rungs, incl. platform | Number of rungs, incl. platform | Number of rungs, incl. platform |
| 6 | 8 | 10 |
| Overall base width | Overall base width | Overall base width |
| 0.58 m | 0.64 m | 0.7 m |
| Overall length | Overall length | Overall length |
| 2.18 m | 2.68 m | 3.18 m |
| Platform height | Platform height | Platform height |
| 1.4 m | 1.87 m | 2.34 m |
| Transport dimensions | Transport dimensions | Transport dimensions |
| approx. 2.180 mm × approx. 580 mm × approx. 150 mm | approx. 2.680 mm × approx. 640 mm × approx. 150 mm | approx. 3.180 mm × approx. 700 mm × approx. 150 mm |
| Weight | Weight | Weight |
| 11.65 kg | 15.07 kg | 18.03 kg |
| Working height | Working height | Working height |
| 3.4 m | 3.9 m | 4.35 m |