DATA SHEET

# Skymaster EFAmix X

The Skymaster is strong, sturdy and safely insulated thanks to glass reinforced polyester (GRP) stiles, making it ideal for working with electrical equipment or near electrical hazards.



## PRODUCT DESCRIPTION

- The Skymaster is strong, sturdy and safely insulated thanks to glass reinforced polyester (GRP) stiles, making it ideal for working with electrical equipment or near electrical hazards.
- High level of protection provided for working on electrical installations thanks to insulated stiles made from glass-fire-reinforced plastic.
- One rigid locking bar.
- Aluminium rungs (30 x 30 mm).
- Anti-spread protection provided by high-strength polyester webbing with a sewn-in attachment tab.
- Optimum wrap-around stile guide that encompasses the whole rung.
- Locks safely by means of rung hooks and locking tab.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.

## HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

## PRODUCT FEATURES

| Property | Value |
|---|---|
| Certification | TÜV-SÜD |

| Property | Value |
|---|---|
| Connection between stiles and rungs/stiles | flanged |
| Ladder length as 3-part single ladder | 5.8 m |
| Length as 2-part single ladder and as stepladder with push-on section | 4.1 m |
| Load capacity | max. 150 kg |
| Material | Aluminium / plastic |
| Number of rungs | 8 |
| Number of rungs | 3 × 8 |
| Overall length, retracted | 2.45 m |
| Standards | EN 131 professional |
| Stile depth | 73 mm |
| Tread depth | 30 mm |
| Type of rungs/treads | serrated |
| Vertical distance between each rung/tread | 265 mm |
| Warranty | 10 years |
| Wide crosspiece | 1 m |
| Working height as 3-part single ladder | 6.55 m |

## ACCESSORIES AND SPARE PARTS

**SPARE PARTS** 1



**User instructions label**
SKU 800605

**ZARGES (U.K.) LTD.**
Blackwater Trading Estate,
The Causeway
CM9 4LJ Maldon, Essex

Tel: 01908 641118
sales@zarges.co.uk

www.zarges.com/uk
Effective 9/11/2026
Subject to change or error.