



# Meistertritt Trec S

Putting the roll into the Rolls Royce of stepladders -  
the ultimate in comfort and safety.

## Product description


- 80 mm deep treads with ZARGES Safer Step Technology for fatigue-free standing.
- Particularly large work platform with ribbed aluminium sheet lining (approx. 380 x 390 mm).
- Practical aluminium storage tray for small items and tools.
- With two handrails as standard for safe access.
- Optimum stability due to the use of two high-strength Perlon belts to prevent splay, from 5 treads.
- Height of the retaining bracket 1,000 mm.
- Treads and stiles made from extruded aluminium sections.
- With sprung castors on the support section for mobility.
- Sturdy, rigid locking bar with a high level of operator comfort and a locking mechanism for transporting.



## Hints and special features

Complies with EN 131 Professional.

## Product features







Anti-splay mechanism <b>Belt strap</b>	Coating <b>natural</b>	Connection between stiles and rungs/stiles <b>flanged</b>	Load capacity <b>max. 150 kg</b>	Platform length <b>250 mm</b>
Platform width <b>250 mm</b>	Stile depth <b>73 mm</b>	Stile depth <b>58 mm</b>	Stile depth steps/back stay <b>73mm / 58mm</b>	Storage tray <b>aluminium</b>
Tread depth <b>80 mm</b>	Type of rungs/treads <b>Safer Step</b>	Warranty <b>10 years</b>		

## Product variants

SKU <b>341632</b>	SKU <b>341633</b>	SKU <b>341634</b>
Base <b>0,91 m × 0,59 m</b>	Base <b>1,08 m × 0,62 m</b>	Base <b>1,26 m × 0,65 m</b>
Number of rungs, incl. platform <b>3</b>	Number of rungs, incl. platform <b>4</b>	Number of rungs, incl. platform <b>5</b>
Overall base width <b>0.59 m</b>	Overall base width <b>0.62 m</b>	Overall base width <b>0.65 m</b>
Overall length <b>1.92 m</b>	Overall length <b>2.2 m</b>	Overall length <b>2.48 m</b>
Platform height <b>0.77 m</b>	Platform height <b>1.03 m</b>	Platform height <b>1.29 m</b>
Transport dimensions <b>1.920 mm × 590 mm × 155 mm</b>	Transport dimensions <b>2.200 mm × 620 mm × 155 mm</b>	Transport dimensions <b>2.480 mm × 650 mm × 155 mm</b>
Vertical ladder height <b>1.77 m</b>	Vertical ladder height <b>2.03 m</b>	Vertical ladder height <b>2.29 m</b>



Working height <b>2.8 m</b>	Working height <b>3 m</b>	Working height <b>3.3 m</b>
SKU <b>340477</b>	SKU <b>340478</b>	SKU <b>340479</b>
Base <b>1,43 m × 0,68 m</b>	Base <b>1,76 m × 0,74 m</b>	Base <b>2,11 m × 0,8 m</b>
Number of rungs, incl. platform <b>6</b>	Number of rungs, incl. platform <b>8</b>	Material <b>aluminium</b>
Overall base width <b>0.68 m</b>	Overall base width <b>0.74 m</b>	Number of rungs, incl. platform <b>10</b>
Overall length <b>2.75 m</b>	Overall length <b>3.32 m</b>	Overall base width <b>0.8 m</b>
Platform height <b>1.55 m</b>	Platform height <b>2.07 m</b>	Overall length <b>3.88 m</b>
Transport dimensions <b>2.750 mm × 680 mm × 155 mm</b>	Transport dimensions <b>3.320 mm × 740 mm × 155 mm</b>	Platform height <b>2.59 m</b>
Vertical ladder height <b>2.55 m</b>	Vertical ladder height <b>3.07 m</b>	Transport dimensions <b>approx. 3.880 mm × 800 mm × 155 mm</b>
Working height <b>3.55 m</b>	Working height <b>4.1 m</b>	Vertical distance between each rung/ tread <b>265 mm</b>
		Vertical ladder height <b>3.59 m</b>
		Working height <b>4.6 m</b>



SKU		
<b>341635</b>		
Base		
<b>2,46 m × 0,86 m</b>		
Number of rungs, incl. platform		
<b>12</b>		
Overall base width		
<b>0.86 m</b>		
Overall length		
<b>4.44 m</b>		
Platform height		
<b>3.11 m</b>		
Transport dimensions		
<b>4.440 mm × 860 mm × 155 mm</b>		
Vertical ladder height		
<b>4.11 m</b>		
Working height		
<b>5.1 m</b>		