



PaxTower 3T

Professional tower system available in modular packs to build the tower up to 5.6m platform height with quick and safe assembly - 2m build intervals between each tower size. This Through the Trapdoor (3T) tower fully complies to the latest EN 1004-1 safety standard.

Product description

- One-piece fold out snap-frame with simple, one-handed lock and release operation, for quick and easy set up.
- Innovative toe board system with no clips – removes the need for toe board clips reducing the amount of loose components.
- Smooth slot-in spigots to prevent tilting when the end frames join together.



Product features

Claw type automatic	Fits through doorways Yes	Platform length 1.8 m	Platform size 0,6m × 1,8m	Platform width 0.6 m
Rung diameter 45 mm	Scaffolding class 3	Stile diameter 45 mm	Warranty 10 years	Wheel diameter 125 mm



Product variants

SKU 5535102	SKU 5535212	SKU 5535122
Incl. stabilisers No	Incl. stabilisers Yes	Incl. stabilisers Yes
Incl. toeboards No	Incl. toeboards Yes	Incl. toeboards Yes
Overall height 1.6 m	Overall height 1.6 m	Overall height 2.6 m
Platform height 0.6 m	Platform height 0.6 m	Platform height 1.6 m
Transport dimensions 1.900 mm × 750 mm × 500 mm	Transport dimensions approx. 2.200 mm × approx. 750 mm × approx. 550 mm	Transport dimensions approx. 2.200 mm × approx. 750 mm × approx. 650 mm
Weight 29.1 kg	Weight 56.2 kg	Weight 68.6 kg
Working height 2.6 m	Working height 2.6 m	Working height 3.6 m
SKU 5535142	SKU 5535162	
Incl. stabilisers Yes	Incl. stabilisers Yes	
Incl. toeboards	Incl. toeboards	



Yes	Yes
Overall height	Overall height
4.6 m	6.6 m
Platform height	Platform height
3.6 m	5.6 m
Transport dimensions	Transport dimensions
approx. 2.200 mm × approx. 750 mm × approx. 850 mm	approx. 2.200 mm × approx. 750 mm × approx. 1.050 mm
Weight	Weight
103 kg	149 kg
Working height	Working height
5.6 m	7.6 m