



Reachmaster® PLUS

The Reachmaster® PLUS Tower offers lightweight versatility for both indoor and outdoor applications.

Designed with trade professionals in mind, the compact Base Pack ensures easy transportation through standard doorways and corridors. The folding frame features a snap-click mechanism for fast, straightforward assembly - ideal for a one-person setup. The Reachmaster PLUS tower can be extended modularly up to a maximum platform height of 5.8m.



Product description

- Heavy-duty but lightweight modular tower system for indoor and outdoor use
- Compact Base Pack fits through standard doors, corridors and into your van
- Snap-click folding base unit for quick and easy set up
- Adjustable platform height
- Swivel locking castors enable tower to be moved easily
- Sturdy platform with built-in trapdoor for easy access to each level
- Can be extended modularly up to a maximum platform height of 5.8m (purchased separately);
 Certified to the latest EN 1004 Standard

Hints and special features

NOTE: Adjustable Legs only required if ground is



uneven or sloping.

Product features

Platform length	Platform size	Platform width	Scaffolding class
1.73 m	0,6m × 1,73m	0.6 m	3

Product variants

SKU 5545002	SKU 5545106	SKU 5545117
Overall height 1.72 m	Overall height 1.72 m	Overall height 2.7 m
Platform height 0.6 m	Platform height 0.6 m	Platform height 1.7 m
Weight 31.4 kg	Standards EN 1004-1	Standards EN 1004-1
Working height 2.6 m	Weight 63.8 kg	Weight 72.1 kg
	Working height 2.6 m	Working height 3.7 m
SKU 5545137	SKU 5545158	
Overall height 4.75 m	Overall height 6.83 m	
Platform height 3.7 m	Platform height 5.8 m	



Standards	Standards
EN 1004-1	EN 1004-1
Weight	Weight
108.9 kg	165.7 kg
Working height	Working height
5.7 m	7.8 m